OSRAM KO DELLS1.22 Datasheet

Discontinued

Published by ams-OSRAM AG Tobelbader Strasse 30, 8141 Premstaetten, Austria Phone +43 3136 500-0 ams-osram.com © All rights reserved





TOPLED® E1608

KO DELLS1.22

The TOPLED E1608 expands ams OSRAM' low power portfolio by offering one of the smallest LED Industry standard footprints in a highly reliable and well proven package concept. Its outstanding performance is suitable for a huge variety of applications especially automotive interior where a small package design with excellent reliability is needed. The TOPLED E1608 is available in different colors and brightness levels.





Applications

- Ambient Lighting
- Appliances & Tools

- Automotive Aftermarket

Features

- Package: white SMT package, colorless clear resin
- Chip technology: InGaAIP
- Typ. Radiation: 120° (Lambertian emitter)
- Color: λ_{dom} = 606 nm (• orange)
- Corrosion Robustness Class: 2B
- Qualifications: AEC-Q102 Qualified
- ESD: 2 kV acc. to ANSI/ESDA/JEDEC JS-001 (HBM, Class 2)





Ordering Information

Туре	Luminous Intensity ¹⁾ I _F = 2 mA I _v	Ordering Code
KO DELLS1.22-KHLI-24	8.2 18.0 mcd	Q65112A4850



Maximum Ratings

Parameter	Symbol		Values
Operating Temperature	T _{op}	min.	-40 °C
	öp	max.	110 °C
Storage Temperature	T _{stg}	min.	-40 °C
	C g	max.	110 °C
Junction Temperature	T _j	max.	125 °C
Forward current	I _F	max.	20 mA
T _s = 25 °C	·		
Forward current pulsed	 F pulse	max.	100 mA
t ≤ 10 μs; D = 0.005 ; T _s = 25 °C			
Reverse voltage ²⁾	V _R	max.	12 V
T _s = 25 °C			
ESD withstand voltage	V _{ESD}		2 kV
acc. to ANSI/ESDA/JEDEC JS-001 (HBM, Class 2)	LOD		



Characteristics

 $I_{_{\rm F}}$ = 2 mA; $T_{_{\rm S}}$ = 25 °C

Parameter	Symbol		Values
Peak Wavelength	λ_{peak}	typ.	610 nm
Dominant Wavelength ³⁾	λ _{dom}	min.	600 nm
$I_{F} = 2 \text{ mA}$	dom	typ.	606 nm
		max.	609 nm
Spectral Bandwidth at 50% I _{rel,max}	Δλ	typ.	12 nm
Viewing angle at 50% I_v	2φ	typ.	120 °
Forward Voltage 4)	V _F	min.	1.70 V
I _F = 2 mA	·	typ.	1.80 V
		max.	2.20 V
Reverse current ²⁾	I _R	typ.	0.01 µA
V _R = 12 V		max.	10 µA
Temperature Coefficient of Peak Wavelength -10°C ≤ T ≤ 100°C	$TC_{_{\lambdapeak}}$	typ.	0.14 nm / K
Real thermal resistance junction/ambient 5)6)	$R_{thJA real}$	max.	610 K / W
Real thermal resistance junction/solderpoint ⁵⁾	R _{thJS real}	typ.	170 K / W
	uloo real	max.	250 K / W



Brightness Groups

Group	Luminous Intensity ¹⁾ I _F = 2 mA min. I _v	Luminous Intensity. ¹⁾ I _F = 2 mA max. I _v	Luminous Flux ⁷⁾ I _F = 2 mA typ. Φ _v
KH	8.2 mcd	9.7 mcd	29.5 mlm
KI	9.7 mcd	11.2 mcd	34.5 mlm
LG	11.2 mcd	13.0 mcd	39.9 mlm
LH	13.0 mcd	15.0 mcd	46.2 mlm
LI	15.0 mcd	18.0 mcd	54.4 mlm

Wavelength Groups

Group Dominant Wavelength ³⁾ I _F = 2 mA min.		Dominant Wavelength ³⁾ I _F = 2 mA max.	
	λ_{dom}	λ_{dom}	
2	600 nm	603 nm	
3	603 nm	606 nm	
4	606 nm	609 nm	



Group Name on Label

 Example: KH-2


 Brightness
 Wavelength

 KH
 2




Relative Spectral Emission⁷⁾

 $I_{rel} = f(\lambda); I_{F} = 2 \text{ mA}; T_{S} = 25 \text{ }^{\circ}\text{C}$



Radiation Characteristics 7)


I_{rel} = f (φ); T_s = 25 °C






Forward current ⁷⁾

 $I_{_{\rm F}} = f(V_{_{\rm F}}); T_{_{\rm S}} = 25 \ ^{\circ}{\rm C}$




Relative Luminous Intensity 7), 8)

 $I_v/I_v(2 \text{ mA}) = f(I_F); T_S = 25 \text{ °C}$






Forward Voltage ⁷




Relative Luminous Intensity ⁷⁾

 $I_v/I_v(25 \ ^\circ C) = f(T_i); I_F = 2 \text{ mA}$



Dominant Wavelength 7)


 $\lambda_{dom} = f(T_j); I_F = 2 \text{ mA}$






Max. Permissible Forward Current ⁵⁾

 $I_F = f(T)$




Permissible Pulse Handling Capability


 $I_{_{P}} = f(t_{_{p}}); D: Duty cycle$





Dimensional Drawing ⁹⁾





general tolerance ±0.1 lead finish Ag


C67062-A0191-A1..-01

Further Information:

Approximate Weight:	2.0 mg
Package marking:	Cathode
Corrosion test:	Class: 2B Test condition: 25°C / 75 % RH / 10 ppm H ₂ S / 21 days (IEC 60068-2-43)



Recommended Solder Pad ⁹⁾




All products are packed in a dry pack bag (Moisture Barrier Bag, MBB) according MIL-PRF-81705, after opening the MBB the products should go to reflow soldering process. Unused remaining LEDs should be protected from environment due to silver plated soldering terminal. In order to maintain solderability it is recommended to protect the silver plated solder terminals from corrosive environment before soldering. For superior solder joint connectivity results we recommend soldering under standard nitrogen atmosphere.



Reflow Soldering Profile






Profile Feature	Symbol	Pb	Pb-Free (SnAgCu) Assembly		Unit
		Minimum	Recommendation	Maximum	
Ramp-up rate to preheat ^{•)} 25 °C to 150 °C			2	3	K/s
Time t_s T _{Smin} to T _{Smax}	t _s	60	100	120	S
Ramp-up rate to peak $^{*)}$ T $_{\rm Smax}$ to T $_{\rm P}$			2	3	K/s
Liquidus temperature	TL		217		°C
Time above liquidus temperature	t		80	100	S
Peak temperature	Τ _Ρ		245	260	°C
Time within 5 °C of the specified peak temperature T_P - 5 K	t _P	10	20	30	S
Ramp-down rate* T _P to 100 °C			3	6	K/s
Time 25 °C to T _P				480	S

All temperatures refer to the center of the package, measured on the top of the component * slope calculation DT/Dt: Dt max. 5 s; fulfillment for the whole T-range




Taping ⁹⁾



C67062-A0191-B5-01



Tape and Reel ¹⁰⁾




Reel Dimensions


А	W	N _{min}	W ₁	$W_{2 \max}$	Pieces per PU
180 mm	8 + 0.3 / - 0.1 mm	60 mm	8.4 + 2 mm	14.4 mm	9000




Barcode-Product-Label (BPL)



Dry Packing Process and Materials ⁹⁾



Type Designation System





Notes

The evaluation of eye safety occurs according to the standard IEC 62471:2006 (photo biological safety of lamps and lamp systems). Within the risk grouping system of this IEC standard, the device specified in this data sheet fall into the class **exempt group (exposure time 10000 s)**. Under real circumstances (for exposure time, conditions of the eye pupils, observation distance), it is assumed that no endangerment to the eye exists from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect. When looking at bright light sources (e.g. headlights), temporary reduction in visual acuity and afterimages can occur, leading to irritation, annoyance, visual impairment, and even accidents, depending on the situation.

Subcomponents of this device contain, in addition to other substances, metal filled materials including silver. Metal filled materials can be affected by environments that contain traces of aggressive substances. Therefore, we recommend that customers minimize device exposure to aggressive substances during storage, production, and use. Devices that showed visible discoloration when tested using the described tests above did show no performance deviations within failure limits during the stated test duration. Respective failure limits are described in the IEC60810.

For further application related information please visit www.osram-os.com/appnotes



Disclaimer

Attention please!

The information describes the type of component and shall not be considered as assured characteristics. Terms of delivery and rights to change design reserved. Due to technical requirements components may contain dangerous substances.

For information on the types in question please contact our Sales Organization.

If printed or downloaded, please find the latest version on our website.

Packing

Please use the recycling operators known to you. We can also help you – get in touch with your nearest sales office. By agreement we will take packing material back, if it is sorted. You must bear the costs of transport. For packing material that is returned to us unsorted or which we are not obliged to accept, we shall have to invoice you for any costs incurred.

Product and functional safety devices/applications or medical devices/applications

Our components are not developed, constructed or tested for the application as safety relevant component or for the application in medical devices.

Our products are not qualified at module and system level for such application.

In case buyer – or customer supplied by buyer – considers using our components in product safety devices/ applications or medical devices/applications, buyer and/or customer has to inform our local sales partner immediately and we and buyer and /or customer will analyze and coordinate the customer-specific request between us and buyer and/or customer.



Glossary

- ¹⁾ **Brightness:** Brightness values are measured during a current pulse of typically 25 ms, with an internal reproducibility of ± 8 % and an expanded uncertainty of ± 11 % (acc. to GUM with a coverage factor of k = 3).
- ²⁾ Reverse Operation: This product is intended to be operated applying a forward current within the specified range. Applying any continuous reverse bias or forward bias below the voltage range of light emission shall be avoided because it may cause migration which can change the electro-optical characteristics or damage the LED.
- ³⁾ Wavelength: The wavelength is measured at a current pulse of typically 25 ms, with an internal reproducibility of ±0.5 nm and an expanded uncertainty of ±1 nm (acc. to GUM with a coverage factor of k = 3).
- ⁴⁾ **Forward Voltage:** The forward voltage is measured during a current pulse of typically 8 ms, with an internal reproducibility of ± 0.05 V and an expanded uncertainty of ± 0.1 V (acc. to GUM with a coverage factor of k = 3).
- ⁵⁾ **Thermal Resistance:** Rth max is based on statistic values (6σ) used for Derating.
- ⁶⁾ Thermal Resistance: RthJA results from mounting on PC board FR 4 (pad size 16 mm² per pad)
- ⁷⁾ Typical Values: Due to the special conditions of the manufacturing processes of semiconductor devices, the typical data or calculated correlations of technical parameters can only reflect statistical figures. These do not necessarily correspond to the actual parameters of each single product, which could differ from the typical data and calculated correlations or the typical characteristic line. If requested, e.g. because of technical improvements, these typ. data will be changed without any further notice.
- ⁸⁾ **Characteristic curve:** In the range where the line of the graph is broken, you must expect higher differences between single devices within one packing unit.
- ⁹⁾ **Tolerance of Measure:** Unless otherwise noted in drawing, tolerances are specified with ±0.1 and dimensions are specified in mm.
- ¹⁰⁾ **Tape and Reel:** All dimensions and tolerances are specified acc. IEC 60286-3 and specified in mm.



Revision History

Version	Date	Change
1.1	2019-01-24	Maximum Ratings
1.2	2020-03-05	Derating (Diagrams)
1.3	2020-03-09	Schematic Transportation Box Dimensions of Transportation Box
1.4	2020-06-04	Further Information
1.5	2021-02-11	Electro - Optical Characteristics (Diagrams)
1.6	2021-02-19	Electro - Optical Characteristics (Diagrams)
1.7	2022-11-21	Electro - Optical Characteristics (Diagrams) Characteristics Maximum Ratings New Layout Applications Tape and Reel Reel Dimensions
1.8	2023-05-12	Discontinued Glossary

Discontinued



EU RoHS and China RoHS compliant product 此产品符合欧盟 RoHS 指令的要求; 按照中国的相关法规和标准, 不含有毒有害物质或元素。

Published by ams-OSRAM AG Tobelbader Strasse 30, 8141 Premstaetten, Austria Phone +43 3136 500-0 ams-osram.com © All rights reserved

