
\*\* Not all features are shown in this drawing. For more detailed information, please contact your Fair-Rite representative.

2.68

UNCONTROLLED ~CATALOG~ DRAWING

| SIZE | PART NO. | REV. | REV. | Color | REV. | RE



В

20.00 ±0.4 +

A<sup>1</sup> · A<sup>2</sup> **0.30 Max.**.012 Max.

D
5.00 ±0.25
.197

REF.

0.25
.010
TYP.

C
12.00 ±0.3

.472

## **ELECTRICAL SPECIFICATIONS**

IMPEDANCE (OHMS)	
25 MHz	100 MHz
26 Min.	57 Min.
N=1, #22 AWG, WL=1.5"	

MEASURED AT END OF SLOT

## DIMENSIONS

## BOLD NUMBERS ARE IN MILLIMETERS

LIGHT NUMBERS ARE IN INCHES

## NOTES:

1 - BURNISH TO BREAK SHARP EDGES.

- **0.20mm** [.008"

2 - IMPEDANCE IS MEASURED ON AN E4991A USING A 16092A TEST FIXTURE.

FAIR-RITE PRODUCTS CORP.

TITLE FLAT CABLE SUPPRESSION CORE

DRAWN BY DATE D. FOOTE 1/30/2020 SIZE PART NO.

CHKD BY B 2643173351 ~

APPRVD BY SCALE NONE SHEET 1 of 1

FR# 43