

Connector set - HC-KIT-B16-R01 - 1409710

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Connector set, consisting of: B16 sleeve housing and panel mounting base, 16-pos. plug and socket insert, M25 cable gland

Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	620.0 g
Custom tariff number	85366990
Country of origin	Germany

Technical data

Dimensions

Cable diameter	11 mm 16 mm
----------------	-------------

General

Connection method Cable exit	Screw connection straight
Rated current	16 A
Rated voltage	500 V
Туре	B16
Number of positions	16+PE

Articles in set

Cable gland - HC-M-KV-M25(11-16) - 1690574



Metal screw connection up to 5 bar, thread length: 7 mm, cable diameter: 11 - 16 mm, WAF 27, screw connection: M25



Connector set - HC-KIT-B16-R01 - 1409710

Articles in set

Contact insert - HC-B 16-I-UT-M - 1648238



HEAVYCON male insert, B16 series, 16-pos., screw connection

Housing - HC-B 16-TFL-N-O1STM25G - 1460100



HEAVYCON B16 sleeve housing, for single locking latch, height: 65 mm, with 1 x M25 thread, straight cable outlet

Housing - HC-B 16-AMLD - 1771613



HEAVYCON B16 panel mounting base, with single locking latch, height: 29 mm, with plastic cover, with flat gasket

Contact insert - HC-B 16-I-UT-F - 1648241



HEAVYCON female insert, B16 series, 16-pos., screw connection

Classifications

eCl@ss

eCl@ss 4.0	27140816
eCl@ss 4.1	27140816
eCl@ss 5.0	27143424
eCl@ss 5.1	27143424
eCl@ss 6.0	27143424
eCl@ss 7.0	27440209



Connector set - HC-KIT-B16-R01 - 1409710

Classifications

eCl@ss		
eCl@ss 8.0	27440101	
ETIM		
ETIM 3.0	EC002310	
ETIM 4.0	EC002560	
ETIM 5.0	EC002560	
UNSPSC		
UNSPSC 6.01	30211923	
UNSPSC 7.0901	39121522	
UNSPSC 11	39121522	
UNSPSC 12.01	39121522	
UNSPSC 13.2	39121522	
Approvals		
Approvals		
Approvals		
EAC / EAC		
Ex Approvals		
Approvals submitted		
Approval details		
EAC		
EAC		

Phoenix Contact 2016 @ - all rights reserved http://www.phoenixcontact.com