










mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY		FCI	
ltr	ecn no	dr	date	linear	.X ± 0.38/.015	projection		www.fciconnect.com	
J	T05-0008	R C	01/10/05		.XX ± 0.25/.010			title	
K	DG06-0141	C S	03/29/06	angles	.XXX ± 0.15/.005			DDR 184P .050" 1-ROW, V/T ASS'Y METAL CLIP	
				dr	MAGGIE WU 10/18/99	MM		product family	
				engr	AINGE LIQU 10/18/99			DDR	
				chr	AINGE LIQU 10/18/99	scale		size	
				appd	JENN TSAO 10/18/99	1:1		dwg no	
sheet	revision	K	D	K				A4	
index	sheet	1	2	3				52515	
								code	
								TWN	
								sheet	
								1 of 3	




RECOMMENDED MODULE LAYOUT



TYPE "R"	3.3 VOLT.
TYPE "L"	2.5 VOLT.
TYPE "C"	1.8 VOLT.
CENTER KEY	DESCRIPTION

mat'l. code				tolerances unless otherwise specified			CUSTOMER COPY		 www.fciconnect.com		
ltr	ecn no	dr	date	linear	.X ± 0.38/.015			projection 	title DDR 184P .050" 1-ROW, V/T ASS'Y METAL CLIP		
D					.XX ± 0.25/.010						
					.XXX ± 0.15/.005						
				angles	0° ±2°				product family		code
				dr	MAGGIE WU	10/18/99	DDR		TWN		
				engr	AINGE LIUO	10/18/99	size		dwg no	sheet	
				chr	AINGE LIUO	10/18/99	scale	A4	52515	2 of	
				appd	JENN TSAO	10/18/99	1:1				
sheet index	revision sheet										



DDR ASSEMBLY PART NUMBER
5 2 5 1 5 - ☐ ☐ ☐ ☐

RECOMMENDED CIRCUIT BOARD HOLE LAYOUT

STYLE

- 1 : FOR 3.3 VOLT.
- 2 : FOR 2.5 VOLT.
- 3 : FOR 1.8 VOLT.



METAL CLIP

- 1 : WITH METAL CLIP + DIM."D"=4.00/.157.
- 2 : WITH METAL CLIP + DIM."D"=3.50/.137.

TAIL LENGTH

CODE	DIM. "B"	DIM. "C"
0	2.59 .102	2.44 .096
1	3.35 .132	3.20 .126
2	3.65 .144	3.50 .138

PLATING

CODE	CONTACT	SOLDERTAIL	UNDERPLATE	CODE	CONTACT	SOLDERTAIL	UNDERPLATE
2	15μ" (0.38μm) MIN. GOLD	100μ" (2.54μm) MIN. TIN/LEAD	50μ" (1.27μm) MIN. NICKEL OVERALL	7LF	15μ" (0.38μm) MIN. GOLD	100μ" (2.54μm) MIN. 100%TIN	50μ" (1.27μm) MIN. NICKEL OVERALL
3	30μ" (0.76μm) MIN. GOLD			8LF	30μ" (0.76μm) MIN. GOLD		
4	GOLD FLASH			9LF	GOLD FLASH		

COLOR OF HOUSING AND EJECTOR

0 : BLACK HOUSING + IVORY EJECTOR

mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		FCI www.fciconnect.com	
ltr	ecn no	dr	date	linear	.X ± 0.38/.015	projection					
K					.XX ± 0.25/.010						
				angles	.XXX ± 0.15/.005						
				dr	MAGGIE WU 10/18/99	MM			title DDR 184P .050" 1-ROW, V/T ASS'Y METAL CLIP		
				enr	AINGE LIOU 10/18/99						
				chr	AINGE LIOU 10/18/99						
				appd	JENN TSAO 10/18/99						
sheet index	revision sheet					scale 1:1	product family DDR		code TWN		
							size dwg no		sheet 3 of		
							A4 52515				

cage code
22526

ACAD

PDM: Rev:K

STATUS: Released

Printed: Jul 28, 2010