

PRODUCT-DETAILS

A18-12

NON-INS RING TERM, 22-16, 1/2, META



General Information	
Extended Product Type	A18-12
Product ID	7TAI029590R0004
Catalog Description	NON-INS RING TERM, 22-16, 1/2, META
Long Description	Non-Insulated Ring Terminal, Length 1.06 Inches, Width .72 Inches, Bolt Hole 1/2 Inch, Wire Range #22-#16 AWG, Copper, Tin Plated

Ordering	
UPC	786210878393
Country of Origin	United States (US)
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	100 EA
Package Level 1 Width	41.402 mm 1.63 in
Package Level 1 Height	88.9 mm 3.5 in
Package Level 1 Depth / Length	66.802 mm 2.63 in
Package Level 2 Units	500 EA
Package Level 2 Width	182.88 mm

	7.2 in
Package Level 2 Height	157.48 mm 6.2 in
Package Level 2 Depth / Length	215.9 mm 8.5 in
Package Level 3 Units	5000 EA
Package Level 3 Width	215.9 mm 8.5 in
Package Level 3 Height	167.64 mm 6.6 in
Package Level 3 Depth / Length	261.62 mm 10.3 in

Additional Information

Brand / Label	Sta-Kon
Color	Metallic
Effective Date	19811204
Material	Copper
Product Name	Terminals, electrical splices and electrical couplings; wafer probes /note: See 9903.88.67.
Product Type	Non-Insulated Ring Terminal
Special Functions	These non-insulated ring terminals are made of electrolytic copper for high conductivity. They can be installed with crimping tools having a single indentor or double indentor (recommended for solid wire). Serrated barrel increases grip on wire.
Standards	UL E9809
Voltage Rating	600 V
Wire Size	22-16 AWG

Certificates and Declarations

Data Sheet, Technical Information	A18-12
-----------------------------------	--------

Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
ETIM 8	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

