



Pushing Performance  
Since 1945

# Han module adapter, male




Image is for illustration purposes only. Please refer to product description.

Part number	09 14 001 3011
Specification	Han module adapter, male
HARTING eCatalogue	<a href="https://harting.com/09140013011">https://harting.com/09140013011</a>

## Identification

Category	Modules
Series	Han-Modular®
Type of module	Han® Gigabit module
	Han® Gigabit HMC module
	Han® Megabit module
	Han® Megabit HMC module
	Han® Shielded module
Size of the module	Single module
Description of the module	Adapter module

## Version

Gender	Male
--------	------

## Technical characteristics

Insulation resistance	$>10^{10} \Omega$
Limiting temperature	-40 ... +85 °C

## Material properties

Material (insert)	Polycarbonate (PC)
Colour (insert)	RAL 7032 (pebble grey)
Material flammability class acc. to UL 94	V-0
RoHS	compliant
ELV status	compliant



**Pushing Performance**  
Since 1945

## Material properties

China RoHS	e
REACH Annex XVII substances	Not contained
REACH ANNEX XIV substances	Not contained
REACH SVHC substances	Not contained
California Proposition 65 substances	Not contained
Fire protection on railway vehicles	EN 45545-2 (2020-08)
Requirement set with Hazard Levels	R22 (HL 1-3)
	R23 (HL 1-3)

## Specifications and approvals

Specifications	IEC 60664-1
	IEC 61984
UL / CSA	UL 1977 ECBT2.E235076
Approvals	DNV GL

## Commercial data

Packaging size	2
Net weight	4 g
Country of origin	Germany
European customs tariff number	85389099
GTIN	5713140019317
ETIM	EC002312
eCl@ss	27440207 Adapter for industrial connectors (module/contact insert)