

8

7

6

5

4

3

DRW NO.
C-951-200J-500

SH
1

REV
D

ZONE	REV	SCR NUMBER	DESCRIPTION	BY	DATE	APPROVED
ALL	A	AASY-843JMM.VER01	NEW RELEASE	HCL-MH	02/25/2010	D.SMITH
	B	AASY-869J4Z.VER01	ADDED XTALIC PN'S	HCL-MG	06/16/2010	D.SMITH
SHT-1 C7 SHT-1 C4,A8 SHT-1 B5	C	DC0Y-9X5GQ3.VER01	REMOVED N AND Z LETTER FROM POL GUIDE TABLE. UPDATED PIN STYLE TABLE. ADDED NOTE 11. ADDED 1.5mm SIGNAL WIPE.	HCL-NB	06/15/2015	D.COVEY
	D	DC0Y-A83N3K.VER01	UPDATED PART MARKING NOTE	HCL-SD	03/30/2016	D.COVEY

9 5 1 - 2 X 0 J - X X X

XCede BACKPLANE MODULE MALE STANDARD LOAD

2 PAIR

4-POSITION

LETTER									
LEFT POLARIZING GUIDANCE (SEE SHEET 3)	J (NO KEY)	A	B	C	D	E	F	G	H
RIGHT POLARIZING GUIDANCE (SEE SHEET 4)	Y (NO KEY)	P	Q	R	S	T	U	V	W
OPEN (SEE SHEET 2)	O (ZERO)								
LEFT WALL (SEE SHEET 5)	L								
RIGHT WALL (SEE SHEET 6)	M								
TWO WALL (SEE SHEET 7)	1								

NUMBER	PIN STYLE, HEIGHT
0	GUIDE PIN MACHINED, 25.7mm / NONE
1	GUIDE PIN MACHINED, 25.7mm

NUMBER	SIGNAL & LG. GROUND WIPE LENGTH, COMPLIANT PIN SIZE
1	2 mm WIPE SIGNAL, 4 mm WIPE LG GND, Ø0.0217" DRILL
2	3 mm WIPE SIGNAL, 4 mm WIPE LG GND, Ø0.0217" DRILL
3	2 mm WIPE SIGNAL, 4 mm WIPE LG GND, Ø0.0177" DRILL
4	3 mm WIPE SIGNAL, 4 mm WIPE LG GND, Ø0.0177" DRILL
5	2 mm WIPE SIGNAL, 3 mm WIPE LG GND, Ø0.0217" DRILL
6	3 mm WIPE SIGNAL, 3 mm WIPE LG GND, Ø0.0217" DRILL
7	2 mm WIPE SIGNAL, 3 mm WIPE LG GND, Ø0.0177" DRILL
8	3 mm WIPE SIGNAL, 3 mm WIPE LG GND, Ø0.0177" DRILL
C	1.5 mm WIPE SIGNAL, 4 mm WIPE LG GND, Ø0.0217" DRILL
D	1.5 mm WIPE SIGNAL, 3 mm WIPE LG GND, Ø0.0217" DRILL
E	1.5 mm WIPE SIGNAL, 4 mm WIPE LG GND, Ø0.0177" DRILL
F	1.5 mm WIPE SIGNAL, 3 mm WIPE LG GND, Ø0.0177" DRILL

NOTES:

1. REFER TO TB-2150 FOR XCede PRODUCT SPECIFICATIONS.

2. NOTCH DESIGNATES "ROW A" SIDE OF SHROUD. NOTCH FEATURE ON OPPOSITE SIDE FROM PART MARKING.

3. SEE TB-2325 FOR PART MARKING REQUIREMENTS.

4. PLATING THICKNESS OF SIGNAL CONTACT AND GROUND CONTACT IS DETERMINED BY PLATING CODE. SEE PART NUMBER TREE SHEET 1.

5. REPAIR PROCEDURE FOR MODULE, SEE TB-2210.

6. SEE TB-2149 FOR ROUTING GUIDELINES & PTH REQ'S.

7. SEE DOC C190-1001-000 FOR TOOLING KEEPOUT ZONES.

8. BACKPLANE DATUM REFERENCE.

9. OPTIONAL HOLE/MOUNTING SCREW LOCATION FOR GROUNDED PIN OR ADDITIONAL GUIDE PIN SUPPORT, REFER TO TB-2211 FOR PROPER GUIDE PIN SELECTION AND DRAWING C942-2010-000 FOR OPTIONAL HOLE DETAILS. ONLY APPLIES FOR MACHINED GUIDE PIN APPLICATIONS.

10. DIMENSIONS APPLY FOR BOTH COMPLIANT PIN SIZES.

11. GUIDE PIN OPTION "1" ORIGINALLY CALLED FOR A ROLLED GUIDE PIN, WHICH HAS BEEN REPLACED BY A MACHINED ONE. ONLY LEGACY 951 SERIES MODULES WILL USE THIS OPTION.

PLATING

LETTER	DESCRIPTION
B	Ni SULFAMATE, STANDARD GOLD, LEADED
C	Ni SULFAMATE, HIGH GOLD, LEADED
D	Ni SULFAMATE, STANDARD GOLD, LEAD-FREE
E	Ni SULFAMATE, HIGH GOLD, LEAD-FREE
F	NANO Ni, STANDARD GOLD, LEADED
G	NANO Ni, HIGH GOLD, LEADED
H	NANO Ni, STANDARD GOLD, LEAD-FREE
J	NANO Ni, HIGH GOLD, LEAD-FREE

NUMBER	PIN STYLE, HEIGHT
0	GUIDE PIN MACHINED, 25.7mm / NONE
1	GUIDE PIN MACHINED, 25.7mm

SCALE 3/1

SEE SHEET 2

SEE SHEET 3

SEE SHEET 4

SEE SHEET 5

SEE SHEET 6

SEE SHEET 7

INTERPRET PER ASME Y14.5M

CODE IDENT 314.13

CUSTOMER USE
DRAWING


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MM. DECIMAL MARKER IS A PERIOD

TOLERANCES	DESIGN 05/20/2009 A.ASTBURY
0.0	±0.25
0.00	±0.13
0.000	± -
ANGLES	± 3°


DRAWN 02/25/2010 HCL-MH	CHK 02/25/2010 A.ASTBURY	APVD 02/25/2010 D.SMITH
----------------------------	-----------------------------	----------------------------

Amphenol TCS A Division of Amphenol Corporation 200 Innovative Way, Nashua, NH 03062 603.879.3000	
TITLE BACKPLANE MODULES, VERTICAL MALE HEADER XCede, 2 PAIR 4 POSITION	PART NO. SEE PN TREE SHEET 1
DRAWING NO. C-951-200J-500	REV D
ASSEM: C951-200J-BP2-4WAF DRAWING: C951-200J-500	
SIZE D	SCALE 3/1
SHEET 1 OF 8	



ZONE	REV	SCR NUMBER	DESCRIPTION	BY	DATE	APPROVED
			SEE SHEET 1			





RIGHT POLARIZING/GUIDE
BACKPLANE MODULE DIMENSION




CONNECTOR REFERENCE
SCALE 4/1



OPTIONAL KEY
SEE SHEET 1
PART NUMBER TREE



RIGHT POLARIZING/GUIDE
BACKPLANE FOOTPRINT




CUSTOMER USE
DRAWING

TOLERANCES	DESIGN	05/20/2009	A.ASTBURY	Amphenol TCS	
0.0	±0.25	DRAWN	02/25/2010	A Division of Amphenol Corporation	
0.00	±0.13	CHK	02/25/2010	200 Innovative Way, Nashua, NH 03062 603.879.3000	
0.000	± -	APVD	02/25/2010	TITLE BACKPLANE MODULES, VERTICAL MALE HEADER	
ANGLES	± 3°	D.SMITH		XCede: 2 PAIR 4 POSITION	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MM. DECIMAL MARKER IS A PERIOD				PART NO. SEE PN TREE SHEET 1	
DRAWING NO. C-951-200J-500				REV N/A	
ASSEM: C951-200J-BP2-4WAF				1.1	
DRAWING: C951-200J-500				B.5	
SIZE	D	SCALE	6/1	SHEET 4 OF 8	


DRW NO. C-951-200J-500	SH 5	REV D
---------------------------	---------	----------

ZONE	REV	SCR NUMBER	DESCRIPTION	BY	DATE	APPROVED
			SEE SHEET 1			




—DATUMS X_BP AND Y_BP  INTERSECT THE
SIGNAL A1 VIA ON BACKPLANE

LEFT WALL BACKPLANE MODULE DIMENSION




2.06 →
FROM TOP OF DC
PCB TO C OF
ROW A ON BP

CONNECTOR REFERENCE
SCALE 4/1





6.2
FOR 4MM WIPE
LARGE GROUNDS
(5.2
FOR 3MM WIPE
LARGE GROUNDS)


5.2
FOR SMALL GROUND
AND 3MM WIPE SIGNAL
(4.2
FOR 2MM WIPE SIGNAL)



1.3
TAIL
LENGTH



ISOMETRIC VIEW
SCALE 6/1



—MODULE OUTLINE

— SEE DETAIL A & B
SEE SHEET 8
FOR PINOUT DETAILS


BP HOLE PATTERN
COMPONENT SIDE
SCALE 10/1

LEFT WALL BACKPLANE FOOTPRINT


TOLERANCES		DESIGN 05/20/2009 A.ASTBURY	Amphenol TCS A Division of Amphenol Corporation 200 Innovative Way, Nashua, NH 03062 603.879.3000	
0.0	±0.25	DRAWN 02/25/2010 HCL-MH		
0.00	±0.13	CHK 02/25/2010 A.ASTBURY		
0.000	±	APVD 02/25/2010 D.SMITH		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MM. DECIMAL MARKER IS A PERIOD	± 3°			
CUSTOMER USE DRAWING			TITLE BACKPLANE MODULES, VERTICAL MALE HEADER XCEDE. 2 PAIR 4 POSITION	
			PART NO. SEE PN TREE SHEET 1	
			DRAWING NO. C-951-200J-500	
			ASSEM: C951-200J-BP2-4WAF 1.1 DRAWING: C951-200J-500 B.5	
SIZE D			SCALE 6/1	SHEET 5 OF 8

DRW NO. C-951-200J-500	SH 6	REV D
---------------------------	---------	----------





ZONE	REV	SCR NUMBER	DESCRIPTION	BY	DATE	APPROVED
			SEE SHEET 1			




RIGHT WALL BACKPLANE MODULE DIMENSION



CONNECTOR REFERENCE
SCALE 4/1



ISOMETRIC VIEW
SCALE 6/1





BP HOLE PATTERN
COMPONENT SIDE
SCALE 10/1

RIGHT WALL BACKPLANE FOOTPRINT

TOLERANCES		DESIGN 05/20/2009 A.ASTBURY	Amphenol TCS A Division of Amphenol Corporation 200 Innovative Way, Nashua, NH 03062 603.879.3000	
0.0	±0.25	DRAWN 02/25/2010 HCL-MH		
0.00	±0.13	CHK 02/25/2010 A.ASTBURY	TITLE BACKPLANE MODULES, VERTICAL MALE HEADER	
0.000	±	APVD 02/25/2010 D.SMITH	Xcbe, 2 PAIR & POSITION	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MM, DECIMAL MARKER IS A PERIOD	± 3°		PART NO.	REV
			SEE PN TREE SHEET 1	N/A
			DRAWING NO.	REV
			C-951-200J-500	D
			ASSEM: C951-200J-BP2-4WAF	1.1
			DRAWING: C951-200J-500	B.5
			SIZE D	SHEET 6 OF 8
			SCALE 6/1	

CUSTOMER USE
DRAWING



TOLERANCES		DESIGN 05/20/2009 A.ASTBURY	Amphenol TCS A Division of Amphenol Corporation 200 Innovative Way, Nashua, NH 03062 603.879.3000		SH 8
0.0	±0.25	DRAWN 02/25/2010 HCL-MH			
0.00	±0.13	CHK 02/25/2010 A.ASTBURY			
0.000	± -	APVD 02/25/2010 D.SMITH			
ANGLES	± 3°	TITLE BACKPLANE MODULES, VERTICAL MALE HEADER XCede, 2 PAIR & POSITION			REV 0
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MM. DECIMAL MARKER IS A PERIOD			PART NO.	SEE PN TREE SHEET 1	REV N/A
			DRAWING NO.	C-951-200J-500	REV D
CUSTOMER USE DRAWING			ASSEM: C951-200J-BP2-4WAF DRAWING: C951-200J-500		1.1 B.5
			SIZE D	SCALE 6/1	SHEET 8 OF 8