



MODEL: SP-25401 | **DESCRIPTION:** AUDIO PLUG

FEATURES

- 4 conductor
- modular strain relief




SPECIFICATIONS

| parameter | conditions/description | min | typ | max | units |
|-----------------------|-------------------------|-----|-----|-----|-------|
| contact resistance | | | | 30 | mΩ |
| insulation resistance | at 500 Vdc | 100 | | | MΩ |
| voltage withstand | at 50/60Hz for 1 minute | | | 500 | Vac |
| operating temperature | | -25 | | 70 | °C |
| RoHS | yes | | | | |

MECHANICAL DRAWING

units: mm
tolerance: $\pm 0.3\text{mm}$
unless otherwise specified



| | MATERIAL | PLATING |
|--------------------|------------|-------------|
| tip | brass | nickel |
| insulator | PDM | black color |
| sleeve | brass | nickel |
| tip terminal | brass | nickel |
| ring (1) terminal | brass | nickel |
| ring (2) terminal | brass | nickel |
| earth terminal | brass | nickel |
| terminal insulator | PDM | black color |
| body | PVC or TPR | black color |

Note: 1. All specifications measured at 10~35°C with a relative humidity of 45~85% under standard atmospheric pressure unless otherwise specified.

REVISION HISTORY

| rev. | description | date |
|------|-----------------------------------|------------|
| 1.0 | initial release | 05/05/2011 |
| 1.01 | body material changed to TPR | 08/30/2013 |
| 1.02 | brand update | 10/11/2019 |
| 1.03 | logo, datasheet style update | 01/25/2023 |
| 1.04 | CUI Devices rebranded to Same Sky | 09/12/2024 |

The revision history provided is for informational purposes only and is believed to be accurate.



Same Sky offers a one (1) year limited warranty. Complete warranty information is listed on our website.

Same Sky reserves the right to make changes to the product at any time without notice. Information provided by Same Sky is believed to be accurate and reliable. However, no responsibility is assumed by Same Sky for its use, nor for any infringements of patents or other rights of third parties which may result from its use.

Same Sky products are not authorized or warranted for use as critical components in equipment that requires an extremely high level of reliability. A critical component is any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.

sameskydevices.com