



10-Port USB Charging Station with Adjustable Storage, 12V 8A (96W) USB Charger Output, Schuko Power Cord

MODEL NUMBER: U280-010-ST-CEE











10-port USB charger keeps electronic devices, including smartphones, earbuds and smart watches, ereaders, and Micro-USB tablets at full capacity via USB connection. Neatly organizes the devices within its adjustable storage brackets while charging.

Description

Whether you're at home or in the office, the U280-010-ST-CEE 10-Port USB Charging Station provides plenty of ports and power to keep all your devices at 100% capacity. No more peering behind furniture to find an available outlet or unplugging one device to charge another. You can charge up to ten smartphones, Micro-USB tablets, e-readers, and other devices at the same time. This charging station for multiple devices doesn't require a computer, so you can take it anywhere AC power is available. To charge your USB devices, simply plug the included external dual-voltage (100V–240V) power supply into a Schuko outlet, and connect your devices to the available USB ports. The charger protects against overheating, overcurrent and overcharging—in fact, it stops charging as soon as your devices' batteries are at full capacity. A front LED indicates the unit is turned on and receiving AC power.

The 10-port USB charger supports USB Battery Charging (BC) specification v1.2 and delivers up to 5V 2.4A to each port, which is plenty for charging even battery-intensive devices. Adjustable brackets on top of the charger act as storage, providing space to neatly organize devices while they charge. You can adjust the brackets to accommodate the number and size of the devices being charged.

Features

Charges Up to 10 Devices at the Same TimeIdeal for charging smartphones, Micro-USB tablets, ereaders, earbuds and smartwatches, and other devices at home or workConnect devices to unit's USB ports for proficient chargingCharges anywhere AC power is available—no computer required

Provides Plenty of Juice for ChargingDelivers up to 5V 2.4A per port to charge battery-intensive devicesComplies with USB Battery Charging (BC) specification v1.2Protects against overheating, overcurrent and overcharging

Also Functions as Efficient StorageIncludes 14 adjustable brackets that neatly organize devices while they chargeBrackets are adjustable to accommodate number and size of devices being charged

Easy to UseIncluded external dual-voltage (100–240V) power supply plugs into a Schuko outletFront LED indicates when unit is turned on and receiving AC power

Specifications

Highlights

- Up to 5V 2.4A per port for charging battery-intensive devices
- All ten ports support USB Battery Charging (BC) specification v1.2
- External dual-voltage power supply with Schuko plug
- Protects against overheating, overcurrent and overcharging
- Includes 14 adjustable storage brackets for organizing devices
- Charges anywhere AC power is available—no computer required (for 120V applications please use P013-Series cables, not included)

Package Includes

- U280-010-ST-CEE 10-Port USB Charging Station
- External Power Supply (Input: 100–240V, 50/60 Hz, 2A; Max Output: 12V 8A)
- C5 to CEE 7/7 Schuko Power Cord - 3-ft.
- (14) Storage brackets
- Owner's manual





OVERVIEW		
UPC Code	037332205698	
Product Type	Charging Station	
Charging Form Factor	Charging Hub	
Device Compatibility	Amazon Kindle; Headphones; Phone; Tablet; Watch	
INPUT		
AC Power Adapter Plug(s)	CEE 7/7 Schuko	
AC Power Adapter Input Specs (V / Hz / A)	100-240V / 50/60Hz / 3A	
AC Power Adapter Output Specs (V / A)	12V / 8A	
AC Power Adapter Cord Length (ft.)	3	
AC Power Adapter Cord Length (m)	1	
Nominal Input Voltage(s) Supported	120V AC; 230V AC	
Input Connection Type	USB-A Female	
Voltage Compatibility (VAC)	100; 110; 120; 125; 127; 200; 208; 220; 230; 240	
Input Plug Type	CEE 7/7 Schuko	
OUTPUT		
Overload Protection	Yes	
POWER		
Power Source Type	AC Adapter	
AC Adapter	Input: 100-240V, 50/60Hz, 3.0A; Output: 12V, 8A, 3-ft.	
DC Barrel Plug	OD: 5.5 x 2.5 x 10mm, Positive Pin, Negative Sleeve	
Power Consumption (Watts)	34	
Power Consumption Detail	34W (Operating) 0.27W (Standby)	
CONNECTIONS		
Number of Ports	10	
Side A - Connector 1	CEE 7/7 SCHUKO PLUG	
Side B - Connector 1	(10) USB A (MALE)	
USER INTERFACE, ALERTS & CONTROLS		
LED Indicators	Power (Blue)	
CHARGING		
Number of Charging Ports	10	





Total Charging Amps	8A	
Total Charging Watts	96	
Charging Method	USB	
Charging Method Detail	5V - 1.5A (7W)	
Charging Port Type	(10) USB A (FEMALE)	
Charging Ports Details	USB-A: 12V/8A	
Charging Ports / Amps	(10) 2.4A	
PHYSICAL		
Color	Black	
Material of Construction	Polycarbonate	
Unit Dimensions (hwd / in.)	1.000 x 9.400 x 4.700	
Unit Dimensions (hwd / cm)	2,5 x 23,8 x 11,8	
Unit Packaging Type	Вох	
Unit Weight (lbs.)	0.66	
Unit Weight (kg)	0.30	
ENVIRONMENTAL		
Operating Temperature Range	41° to 95°F (5° to 35°C)	
Storage Temperature Range	-4° to 122°F (-20° to 50°C)	
Relative Humidity	20% to 80% RH, Non-Condensing	
FEATURES & SPECIFICATIONS		
GaN Technology	No	
Overcurrent Protection	Yes	
Overvoltage Protection	Yes	
Quick Charge Compliant	No	
IP68 Rated	No	
IP20 Rated	No	
Driver Required	No	
STANDARDS & COMPLIANCE		
External Power Supply Certifications	CE; FCC; UL; TUV; CCC; PSE; GS; RoHS	
Product Compliance	RoHS; CE (Europe); REACH; FCC (USA)	
WARRANTY & SUPPORT		
Product Warranty Period (Worldwide)	2-year limited warranty	





1000 Eaton Boulevard Cleveland, OH 44122 United States https://tripplite.eaton.com © 2025 Eaton. All Rights Reserved. Eaton is a registered trademark. All other trademarks are the property of their respective owners.