

Dual-Port USB Car Charger - 30W PD Charging, USB-C (18W) & USB-A (12W), USB-C to Lightning Cable, White

MODEL NUMBER: U280-C02-30W-K



2-port car charger with USB-C to Lightning cable charges 2 tablets, smartphones and other USB-C or USB-A devices at the same time.

Features

USB Car Charger Safely Charges 2 Mobile Devices in Your Vehicle Simultaneously

This dual-port USB car charger lets you quickly and safely charge two USB mobile devices at the same time. You and a passenger can connect your smartphones, tablets, notebooks or power banks, to name just a few compatible devices, to ensure satisfactory battery charge when you reach your destination.

A Combined 30W of Charging Power Feeds Your Power-Hungry Devices

When used together, the USB-C and USB-A ports support up to 30W of charging power. The USB-C PD 3.0 port can support up to 18W (5V 3A or 9V 2A) to keep mobile devices at capacity. The USB-A port can support up to 12W (5V 2.4A) to reliably charge smartphones and tablets.

Plugs into the 12V DC Power Outlet in Your Vehicle

The compact charger connects to any standard 12V DC vehicle power outlet, such as the one on your dashboard. Just plug it in and connect your devices' USB cables (or the included USB-C to Lightning cable) for fast, convenient mobile charging. An easy-to-see green LED indicates the charger is receiving power. The U280-C02-30W-K is compatible with Apple (including iPhone), Android (including Samsung), Windows and Amazon devices with USB-A, USB-C or Thunderbolt 3 charging ports.

Highlights

- 2-port USB charger connects to the 12V DC power outlet in your car, truck or SUV
- Maximum charging power output of 30W: 18W USB-C PD 3.0 and 12W USB-A
- Easy-to-see green LED indicates charger is receiving power and ready to use
- Includes MFi-certified 4 ft. USB-C to Lightning cable for connecting Apple devices
- Compatible with Apple, Android, Windows and Amazon mobile devices

Applications

Charge up to 2 smartphones, tablets, power banks, e-readers, notebooks or any other USB-A, USB-C or Thunderbolt 3 devices while driving to your destination

System Requirements

Vehicle with standard 12V DC power outlet

Package Includes

- U280-C02-30W-K Dual-Port USB Car Charger, White
- USB-C to Lightning cable, 4 ft. (1.2 m)
- Quick Start Guide

Specifications

OVERVIEW	
UPC Code	037332260901
Device Compatibility	Phone; Tablet
INPUT	
Voltage Compatibility (VAC)	100; 110; 120; 125; 127; 200; 208; 220; 230; 240



Powering Business Worldwide

TRIPP LITE
SERIES

Input Frequency	50 / 60 Hz
Input Current	4.0A (Max)
OUTPUT	
Frequency Compatibility	50 / 60 Hz
POWER	
Power Consumption (Watts)	30
USB Power Delivery (PD) Charging Support	Yes
USB Power Delivery (PD) Charging Specification	3.0
CONNECTIONS	
Number of Ports	2
Side A - Connector 1	Car Cigarette Lighter
Side B - Connector 1	USB C (FEMALE)
Side B - Connector 2	USB A (FEMALE)
USER INTERFACE, ALERTS & CONTROLS	
LED Indicators	Green - Power
CHARGING	
Number of Charging Ports	1
Total Charging Watts	30
Charging Method	USB
Charging Port Type	USB A (FEMALE); USB C (FEMALE)
Charging Ports Details	USB-C: 5V 3A, 9V 2A (18W)USB-A: 5V 2.4A (12W)
Charging Ports / Amps	3A
Compatible Devices	Portable Speaker; Smartphone; Tablet
PHYSICAL	
Color	White
Material of Construction	PC (Plastic)
Cable Jacket Color	White
Unit Dimensions (hwd / in.)	2.420 x 1.280 x 0.770
Unit Dimensions (hwd / cm)	6.14 x 3.25 x 1.95
Unit Packaging Type	Box
Unit Weight (lbs.)	0.13



Powering Business Worldwide

TRIPP LITE
SERIES

Unit Weight (kg)	0.06
ENVIRONMENTAL	
Operating Temperature Range	32° to 86°F (0° to 30°C)
Storage Temperature Range	-4° to 140°F (-20° to 60°C)
Operating Humidity Range	30 ~ 90% RH, Non-Condensing
Storage Humidity Range	10 ~ 90% RH, Non-Condensing
FEATURES & SPECIFICATIONS	
Over Current Protection	Yes
Driver Required	No
STANDARDS & COMPLIANCE	
Product Certifications	MFi
Product Compliance	RoHS; CE (Europe); REACH; WEEE; FCC (USA)
WARRANTY & SUPPORT	
Product Warranty Period (Worldwide)	2-year limited warranty

1000 Eaton Boulevard
Cleveland, OH 44122
United States
<https://tripplite.eaton.com>

© 2025 Eaton. All Rights Reserved.
Eaton is a registered trademark. All other trademarks
are the property of their respective owners.