


QT-Brightek Chip LED Series SMD 1206 LED

Part No.: QBLP650-S3

S3: λ_P =660nm, λ_D =640nm

Product: QBLP650-S3	Date: June 06, 2023	Page 1 of 9
	Version# 1.0	





1206 LED

Table of Contents:	
Electrical / Optical Characteristic (Ta=25 °C)	4
Absolute Maximum Rating	4
Characteristic Curves	
Solder Profile & Footprint	6
Packing	
Labeling	
Ordering Information	8
Revision History	
Disclaimer	

Product: QBLP650-S3	Date: June 06, 2023	Page 2 of 9
	Version# 1.0	



QBLP650-S3 1206 LED

Introduction

Feature:

- Water clear lens
- Package in tape and reel
- Bright 1206 LED package
- AllnGaP technology
- Viewing angle: 140deg typ.

Description:

This top mount bright 1206 LEDs have a height profile of 1.1mm, which is ideal in any kind of back lighting application. Also, it is a light weight model that is good for miniature products.

Application:


- dashboard lighting and button lighting
- Telecommunication and storage Back lighting
- Flat panel display back lighting

Certification & Compliance:

- ISO9001
- RoHS Compliant



Dimension:



Units: mm / tolerance = +/-0.1mm

Product: QBLP650-S3	Date: June 06, 2023	Page 3 of 9
	Version# 1.0	



QBLP650-S3 1206 LED

Electrical / Optical Characteristic (Ta=25 °C)

Product	Color	I _F (mA)	V_{F}	(V)	λ _D (nm)		λ _P (nm)		I _V (m	cd)
Product Color	IF (IIIA)	Тур.	Max.	Тур.	Min. Typ. Max. M	Min.	Тур.			
QBLP650-S3	Red	20	2.0	2.5	640	650	660	670	12.5	25

Absolute Maximum Rating

Material	Pd (mW)	I _F (mA)	I _{FP} (mA)*	V _R (V)	T _{OP} (°C)	T _{ST} (°C)	T _{SOL} (°C)**
AllnGaP	75	30	125	5	-40 ~ +80	-40 ~ +85	260

^{*}Duty 1/8 @ 1kHz

Forward Voltage V_F @ I_F=20mA

Bin	Min.	Max.	Unit
	1.7	2.5	V

Luminous Intensity I_V @ I_F=20mA

Bin	Min.	Max.	Unit
Α	12.5	16	
В	16	20	
С	20	25	mcd
D	25	32	
E	32	40	

Peak Wavelength λ_P @ I_F =20mA

Bin	Min.	Max.	Unit
X	650	660	nm
Υ	660	670	nm


Product: QBLP650-S3	Date: June 06, 2023	Page 4 of 9
	Version# 1.0	


^{**}IR Reflow for no more than 10 sec @ 260 °C




QBLP650-S3 1206 LED











Product: QBLP650-S3	Date: June 06, 2023	Page 5 of 9
	Version# 1.0	







Solder Profile & Footprint

- -Recommended tin solder specifications: melting temperature in the range of 178~192 $^{\rm O}{\rm C}$
- -The recommended reflow soldering profile is as follows (temperatures indicated are as measured on the surface of the LED resin):






Product: QBLP650-S3	Date: June 06, 2023	Page 6 of 9
	Version# 1.0	






Packing


Reel Dimension:




Tape Dimension:




Arrangement of Tape:



Packaging Specifications:



Product: QBLP650-S3	Date: June 06, 2023	Page 7 of 9
	Version# 1.0	





Labeling

Part No:
Customer P/N:
ltem:
Q'ty:
Vf:
lv:
WI:
Date: Made in China

Ordering Information

Orderable Part #	Spec Range	Quantity per reel
QBLP650-S3	Iv=25mcd typ. @ I_F =20mA, λ_P =650nm to 670nm, λ_D =640nm typ.	3,000 units

Product: QBLP650-S3	Date: June 06, 2023	Page 8 of 9
	Version# 1.0	



QBLP650-S3 1206 LED

Revision History

Description:	Revision #	Revision Date
New Release of QBLP650-S3	V1.0	06/06/2023

Disclaimer

QT-BRIGHTEK reserves the right to make changes without further notice to any products herein to improve reliability, function or design. QT-BRIGHTEK does not assume any liability arising out of the application or use of any product or circuit described herein; neither does it convey any license under its patent rights, nor the rights of others.

Life Support Policy

QT-BRIGHTEK's products are not authorized for use as critical components in life support devices or systems without the express written approval of QT-BRIGHTEK. As used herein:

- 1. Life support devices or systems are devices or systems which, (a) are intended for surgical implant into the body, or (b) support or sustain life, and (c) whose failure to perform when properly used in accordance with instructions for use provided in the labeling, can be reasonably expected to result in a significant injury of the user.
- 2. A critical component in any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.

Product: QBLP650-S3	Date: June 06, 2023	Page 9 of 9
	Version# 1.0	