# 9001BG203 CONTROL STATION 600VAC 5A T-B START-STOP





#### Main

Harmony 9001B	
Complete control station	
9001BG	
	Complete control station

#### Complementary

Complementary	
Control station composition	2 push-buttons START-STOP
Contacts type and composition	1 NO + 1 NC
Connections - terminals	Screw clamp terminal
[le] rated operational current	5 A 600 V
Device mounting	Surface
Type of Installation	Indoor

### Environment

NEMA degree of protection	NEMA 1
Product Certifications	UL listed file E42259 CCN NKCR CE CSA LR25490 class 3211 03
Environmental characteristic	Standard environment

# Ordering and shipping details

Category	21421 - 9001 B (NOT BW70 - BW80)
Discount Schedule	CS1
GTIN	785901794165
Nbr. of units in pkg.	1
Package weight(Lbs)	10.08 oz (285.763 g)
Returnability	No
Country of origin	MX

#### **Packing Units**

Unit Type of Package 1	PCE	
Package 1 Height	12.70 in (32.258 cm)	
Package 1 width	5.00 in (12.7 cm)	
Package 1 Length	32.26 in (81.935 cm)	

# Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	☐ REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	₫Yes
China RoHS Regulation	☑ China RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	☐ End Of Life Information

# Contractual warranty

# **Approximate Dimensions**

