SIEMENS

Data sheet

3SU1051-1CD40-0AA0



Illuminated mushroom pushbutton, 22 mm, round, metal, shiny, green, 60 mm, momentary contact type

product brand name	SIRIUS ACT
product designation	Mushroom pushbuttons
design of the product	Actuating/signaling element
product type designation	3SU1
product line	Metal, shiny, 22 mm
Enclosure	
number of command points	1
Actuator	
design of the actuating element	illuminated
principle of operation of the actuating element	momentary contact type
product extension optional light source	Yes
color of the actuating element	green
material of the actuating element	plastic
shape of the actuating element	round
outer diameter of the actuating element	60 mm
number of switching positions	2
Front ring	
product component front ring	Yes
design of the front ring	Standard
material of the front ring	Metal, high gloss
color of the front ring	silver
General technical data	
product function	
EMERGENCY OFF function	No
EMERGENCY STOP function	No
protection class IP	IP66, IP67, IP69(IP69K)
degree of protection NEMA rating	1, 2, 3, 3R, 4, 4X, 12, 13
shock resistance	
according to IEC 60068-2-27	sinusoidal half-wave 15g / 11 ms
vibration resistance	
according to IEC 60068-2-6	10 500 Hz: 5g
operating frequency maximum	3 600 1/h
mechanical service life (operating cycles) typical	3 000 000
reference code according to IEC 81346-2	S
Substance Prohibitance (Date)	10/01/2014
Ambient conditions	
ambient temperature	
during operation	-25 +70 °C
during storage	-40 +80 °C
environmental category during operation according to IEC	3M6, 3S2, 3B2, 3C3, 3K6 (with relative air humidity of 10 95%)

60721				
Installation/ mounting/ dimensions				
height	60 mm			
width	60 mm			
shape of the installation opening	round			
mounting diameter	22.3 mm			
positive tolerance of installation diameter	0.4 mm			
mounting height	27.5 mm			
installation width	60 mm			
installation depth	24.4 mm			
Certificates/ approvals				


General Product Approval

Declaration of Conformity

	<u>Confirmation</u>		EHC	UK CA	CE EG-Konf.
Test Certificates		Marine / Shipping			
<u>Type Test Certific-</u> ates/Test Report	Special Test Certific- ate	ABS	Lloyd's Register urs	PRS	RINA
other	Environment				
<u>Confirmation</u>	Environmental Con- firmations				

Further information	
Siemens has decided to exit the Russian ma	irket (see here).
https://press.siemens.com/global/en/pressrelea	se/siemens-wind-down-russian-business
Siemens is working on the renewal of the cu	irrent EAC certificates.
Please contact your local Siemens office on the EAC relevant market (other than the sanctioned	e status of validity of the EAC certification if you intend to import or offer to supply these products to an d EAEU member states Russia or Belarus).
Information on the packaging	
https://support.industry.siemens.com/cs/ww/en/	<u>view/109813875</u>
Information- and Downloadcenter (Catalogs,	, Brochures,)
https://www.siemens.com/ic10	
Industry Mall (Online ordering system)	
https://mall.industry.siemens.com/mall/en/en/Ca	atalog/product?mlfb=3SU1051-1CD40-0AA0
Cax online generator	
http://support.automation.siemens.com/WW/CA	Xorder/default.aspx?lang=en&mlfb=3SU1051-1CD40-0AA0
Service&Support (Manuals, Certificates, Cha	aracteristics, FAQs,)
https://support.industry.siemens.com/cs/ww/en/	ps/3SU1051-1CD40-0AA0
Image database (product images 2D dimens	sion drawings, 3D models, device circuit diagrams, EPLAN macros,)

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...) http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1051-1CD40-0AA0&lang=en



last modified:

