

Datasheet

P/N P-414DA-8NIT.156

CRIMP DIE SET FOR 8 AWG APPLICATIONS

Cable Range 8 AWG



Complete box with 1 die assembly for crimping of various terminal series.



Cable Range 8 AWG.

- Factory calibrated
- For Non-Insulated Terminals
- 4/8-Indent Crimp Style
- Fully interchangeable across all models within the Rennsteigs Pico 400 Series
- Providing flexibility and ease of use

General	
P/N	P-414DA-8NIT.156
Dimensions	3 11/32" X 7/8"
Weight	1.5 lbs.
Compatibility	P-400-B-1, P-400-B-1EC, P-400-BEC, P-400-BHD, HDP-400, 1387G1, WA23
Gage Range	GO .151 NO GO .158



Locator - exact positioning of contact during the crimping process



Die sets easily interchangeable with no special tool required



Processing of a variety of crimp styles

Application	
Boeing	BACT12AC62
Mil Spec	MS20659-105, MS20659-107, MS20659-129, MS20659-140, MS20659-141, MS20659-142
Molex	19067-0008, 19067-0025, 19193-0143, 19193-0146, 19193-0148, 19193-0149, 19193-0151, 19193-0152, 19193-0155, 19193-0156, 19193-0157, 19193-0158, 19193-0179, 19193-0198, 19193-0200, 19193-0201, 19193-0202, 19193-0203, 19193-0204, 19193-0205
Panduit	P8-8R, P8-10R, P8-12R, P8-14R, P8-38R, P8-56R, LCC6-10A-L
TE Connectivity	31807, 33460, 33461, 33462, 33463, 35247, 323164, 323166, 324061, 1526154-2, 2-33461-2, 2-33461-3, 8-33461-1
Thomas & Betts	D36, D8-10

Classification	
REACH	REACH Unaffected
RoHS	RoHS3 Compliant
Prop65	 WARNING: Cancer and Reproductive Harm - www.P65warnings.ca.gov .

Related products		
P/N	P-414LO-5008-1	
Description	Locator for 8 AWG Series Terminals For example to use with: Molex (19067-0008, 19067-0025, 19193-0143, 19193-0146, 19193-0148, 19193-0149, 19193-0151, 19193-0152, 19193-0155, 19193-0156, 19193-0157, 19193-0158, 19193-0179, 19193-0198, 19193-0200, 19193-0201, 19193-0202, 19193-0203, 19193-0204, 19193-0205)	
Wire Size	8 AWG	
P/N	P-GA.156	
Description	Go / NoGo Gage for Rennsteig Pico Series Die Assemblies with a nominal closure of 0.156	
P/N	P-400-BEC	
Description	Pneumatic Crimping Tool with Foot/Hand Pedal Activation	
Wire Size	28 AWG - 2/0 AWG	
P/N	P-400-BHD	
Description	Pneumatic Crimping Tool and Hand Trigger Activation	
Wire Size	28 AWG - 2/0 AWG	