



Mains Power Cord, UL Listed, IEC 60320 C13 to Free End, 3 m, 13 A, 250 VAC, Black

# RoHS Compliant

# **FEATURES**

- Free End TO C13 RA
- SJT
- 16 AWG



Stock No.: PX11802US-SJT

## **Product Description**

The Universal Power Cords are a perfect replacement for your lost, damaged, or inadequate power cord. They are designed to work with most PCs, monitors, scanners, printers, and other devices that use the 3-pin connector. This cable features a one end molded design that provides maximum flexibility and long-life.


### **General Specifications**

Attribute	Value
Connector to Connector	Free End TO C13 RA
Connector Type A	Free End
Connector Type B	IEC 60320 C13
Cable Length	3m
Current Rating	13A
Jacket Color	Black





#### **Product Drawing**





Qty

1

3

1

SJT 16AWGx3C (Wire Cross-Section)					
	Dimensions				
	ROJ	Strip	Colour		
	16 ±1	5 +1/-0	Brown (L		
	16 ±1	5 +1/-0	Blue (N		

5 +1/-

16 ±1



Wire Styles

SJT 16AWGx3C (CEE Cord)

60°C Black

Length: 2,997.2mm ±76.2mm

(E)

Dimensions: Millimetres

118" ±3"

-0	Green-Yellow (E)			
			Dimen	sion
		Strip	ROJ	Colour
		16 ±3	51 ±6	Brown (L)
		16 ±3	51 ±6	Blue (N)
		16 ±3	51 ±6	Green-Yellow

#### Note:

Colour

35P

(Black)

Brass-

Natural Off-White

1. Hi-Pot Test: 1,500V/1Sec; <0.5mA

2. Insulation Resistance Test : DC 500/min>100m $\Omega$ 

**Connector Component** 

Component

(IEC 60320, C13, RA, 13A

250V)

2.0×4.0 GEM 98740BA-0

(#16-18) (Receptacle Terminal)

GA005-5 (2.0×4.0 Serial Housing)

3. Continuity & Polarization Test: No short circuit, break circuit, displacement.

4. Each end terminal shall be capable of withstanding a pull of 25lbs for 1 minutes without loosening.

5. Strain relief shall be capable of withstanding a pull of 35lbs for 1 minutes without loosening.

6. All material according to Non-toxic standard.

Dimensions: Millimeters (Inches)

### **Part Number Table**

Part Number	Description
PX11802US-SJT	Mains Power Cord, UL Listed, IEC 60320 C13 to Free End, 3 m, 13 A, 250 VAC, Black

Important Notice: This data sheet and its contents (the "Information") belong to the members of the EASE group of companies (the "Group") or are licensed to it. No license is granted for the use of it other than for information purposes in connection with the products to which it relates. No license of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate, but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. EASE is the registered trademark of Ease Electronics Co., Limited 2019.