

PRODUCT-DETAILS

9C24U1 20A,CON,3P4W,DG,U1,125/250V



General Information	
Extended Product Type	9C24U1
Product ID	7TAA057210R0031
Catalog Description	20A,CON,3P4W,DG,U1,125/250V
Long Description	DuraGard 20 Amp Female Connector- 125/250V
Ordering	
UPC	708917192015
Country of Origin	United States (US)
Selling Unit of Measure	each
Container Information	
Package Level 1 Units	1 EA
Package Level 1 Width	0 mm O in
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 2 Units	6 EA

© 2024 ABB. All rights reserved.

2024/03/01

Subject to change without notice

Package Level 2 Width	0.025 mm 0.001 in
Package Level 2 Height	0.025 mm 0.001 in
Package Level 2 Depth / Length	0.025 mm 0.001 in

Additional Information	
Application	For use where electrical connections need protection from water and/or dust entrance to the contacts or the wiring compartment.
Brand / Label	Russellstoll
Effective Date	19960501
Material	DuraV
Product Name	Cylindrical multicontact connectors
Product Type	DuraGard Waterproof Connections
Special Functions	Not just "watertight", Waterproof for washdown duty (DurORing Sealing) that eliminates the need for costly "weather boots" or "adapters."

Certificates and Declarations	
Data Sheet, Technical Information	9C24U1
Classifications	
ETIM 6	EC001322 - Round socket/plug for high currents
ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121406
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4536 >> Electrical receptacles

Categories

 $\label{eq:low-Voltage-Products} \text{Low-Voltage-Products} \rightarrow \text{Normalization} \text{ Products} \rightarrow \text{Wire-Management} \text{ and Connectivity} \rightarrow \text{Pin & Sleeve-Connectors}$

