Detailed Specifications & Technical Data

ENGLISH MEASUREMENT VERSION



SNSRCA Drop Connectors - Snap-N-Seal RCA Type Male Connector



For more Information please call

1-800-Belden1



General Description:

Snap-N-Seal RCA-Type Male Connector, Compression RCA

Usage (Overall)

Suitable Applications:

Broadcast, CATV, Home

Physical Characteristics (Connectivity)

Product Family:

Part Number	Cable Type	Description	Post I.D. (in.)	Inner Pack	Sleeve I.D. (in.)	Sleeve Color	Outer Pack	Tool
SNSRM59	RG-59	Snap-N-Seal RCA Type Male Connector	0.156	50	0.257	Black	500	SNSUTL, CTS596711, CST596
SNSRM59BL	RG-59	Snap-N-Seal RCA Type Male Connector	0.156	50	0.257	Blue	500	SNSUTL, CST596711, CST596
SNSRM59G	RG-59	Snap-N-Seal RCA Type Male Connector	0.156	50	0.257	Green	500	SNSUTL, CST596711, CST596
SNSRM59R	RG-59	Snap-N-Seal RCA Type Male Connector	0.156	50	0.257	Red	500	SNSUTL, CST596711, CST596
SNSRM59W	RG-59	Snap-N-Seal RCA Type Male Connector	0.156	50	0.257	White	500	SNSUTL, CST596711, CST596
SNSRM59Y	RG-59	Snap-N-Seal RCA Type Male Connector	0.156	50	0.257	Yellow	500	SNSUTL, CST596711, CST596
SNSRM6	RG-6	Snap-N-Seal RCA Type Male Connector	0.191	50	0.290	Black	500	SNSUTL, CST596711, CST596
SNSRM6BL	RG-6	Snap-N-Seal RCA Type Male Connector	0.191	50	0.290	Blue	500	SNSUTL, CST596711, CST596
SNSRM6G	RG-6	Snap-N-Seal RCA Type Male Connector	0.191	50	0.290	Green	500	SNSUTL, CST596711, CST596
SNSRM6R	RG-6	Snap-N-Seal RCA Type Male Connector	0.191	50	0.290	Red	500	SNSUTL, CST596711, CST596
SNSRM6W	RG-6	Snap-N-Seal RCA Type Male Connector	0.191	50	0.290	White	500	SNSUTL, CST596711, CST596
SNSRM6Y	RG-6	Snap-N-Seal RCA Type Male Connector	0.191	50	0.290	Yellow	500	SNSUTL, CST596711, CST596

Connector Type:	RCA Type Male Compression
Body Components:	Brass
Body Finish:	Decorative Gold
Terminal/Contact:	Beryllium Copper
Insulators:	TPX

Applicable Specifications and Agency Compliance (Overall)

Applicable Standards & Environmental Programs

EU Directive 2002/95/EC (RoHS): EU RoHS Compliance Date (mm/dd/yyyy): 11/28/2008

Electrical Characteristics (Overall)

Return Loss (typical): -30 dB up to 20 MHz Insertion Loss: -0.05 dB up to 20 MHz

Put Ups and Colors:

	Item #	Putup	Ship Weight	Color	Notes	Item Desc
--	--------	-------	-------------	-------	-------	-----------

Revision Number: 0 Revision Date: 08-26-2011

© 2016 Belden, Inc All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with EU RoHS (Directive 2002/65/EC, 27-Jan-2003). Material manufactured prior to the compliance date may be in stock at Belden facilities and in our Distributor's inventory. The information provided in this Product Disclosure, and the identification of materials listed as reportable or restricted within the Product Disclosure, is correct to the best of Belden's knowledge, information, and belief at the date of its publication. The information provided in this Product Disclosure is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. This Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.

Page 1 of 1