

Size 15 6-pol st/- f/- PUR 1,5mm² 1,5m



Part number	21 34 290 0641 015
Specification	Size 15 6-pol st/- f/- PUR 1,5mm ² 1,5m
HARTING eCatalogue	https://harting.com/21342900641015

Image is for illustration purposes only. Please refer to product description.

Identification

Category	System cabling
Series	Circular connectors Size 15
Element	Cable assemblies
Specification	Pre-assembled on one side
Connector 1	Size 15 Female Straight
Type of cable	Copper cable (round)
Version	
Cable length	1.5 m
Number of cores	6
Core structure	6x 1.5 mm²
Technical characteristics	
Rated current (signal)	10 A
Rated voltage (signal)	63 V AC/DC
Rated current (power)	13 A
Rated voltage (power)	600 V AC
Limiting temperature	-25 +80 °C
Cable diameter	9 mm
Material properties	
Material (cable)	PUR (polyurethane)

Page 1 / 2 | Creation date 2025-03-21 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Customised Solutions GmbH & Co. KG | In der Tütenbeke 22 | 32339 Espelkamp | Germany Phone +49 5772 47-0 | info@HARTING.com | www.HARTING.com



Material properties

Colour (cable)	Black
RoHS	compliant with exemption
RoHS exemptions	6(c): Copper alloy containing up to 4 % lead by weight
ELV status	compliant with exemption
China RoHS	50
REACH Annex XVII substances	Not contained
REACH ANNEX XIV substances	Not contained
REACH SVHC substances	Yes
REACH SVHC substances	Lead
ECHA SCIP number	567c8b78-5fa0-43aa-a4c0-beb9d99b7769
California Proposition 65 substances	Yes
California Proposition 65 substances	Lead Nickel

Specifications and approvals

Approvals	CE
Commercial data	
Packaging size	1
Country of origin	Germany
European customs tariff number	85444290
GTIN	5713140816336
eCl@ss	27060311 Assembled sensor actuator-line
ETIM	EC001855
UNSPSC 24.0	26121604