

2 Port Panel Mount USB 3.0 (5Gbps) Cable - USB A to Motherboard Header Cable F/F

Product ID: USB3SPNLAFHD



The USB3SPNLAFHD 2-Port USB 3.2 Gen 1 to Panel mount USB cable features a 20-pin USB 3.2 Gen 1 motherboard header connection on one end, breaking off into two separate USB 3.2 Gen 1-A (female) ports on the other end of the cable.

The USB 3.2 Gen 1 panel mount cable offers a convenient solution for connecting bootable thumb drives or authentication fobs etc. to the motherboard USB 3.2 Gen 1 connection.

The USB 20-pin motherboard header to panel mount USB 3.2 Gen 1 cable is backed by StarTech.com's Lifetime Warranty.

Certifications, Reports and Compatibility



Applications

- Provides 2 industry standard panel mount ports for USB 3.0 applications

Features

- Compliant with USB 3.2 Gen1 specifications
- 2 panel-mount USB 3.2 Gen1-A ports with screws to allow for secure installation

Hardware

| | |
|-----------------------|--------------------------------|
| Warranty | Lifetime |
| Cable Jacket Material | PVC - Polyvinyl Chloride |
| Cable Shield Material | Aluminum-Mylar Foil with Braid |

Connector(s)

| | |
|-------------|---|
| Connector A | 2 - USB Type-A (9 pin, 5 Gbps) |
| Connector B | 1 - IDC (20 pin, USB 3.0, Motherboard Header) |

Physical Characteristics

| | |
|-------------------|-------------------|
| Color | Blue |
| Wire Gauge | 28 AWG |
| Cable Length | 1.6 ft [0.5 m] |
| Product Length | 19.7 in [50.0 cm] |
| Product Width | 7.5 in [19.0 cm] |
| Product Height | 1.0 in [2.5 cm] |
| Weight of Product | 2.3 oz [65.0 g] |

Packaging Information

| | |
|---------------------------|------------------|
| Package Quantity | 1 |
| Package Length | 6.6 in [16.7 cm] |
| Package Width | 7.8 in [19.8 cm] |
| Package Height | 1.0 in [2.5 cm] |
| Shipping (Package) Weight | 2.9 oz [82.0 g] |

What's in the Box

| | |
|---------------------|--|
| Included in Package | 1 - 2 Port USB 3.0 Panel Mount Cable - USB 3.0 A to Motherboard Header Cable F/F |
| | 4 - Panel-mount screws |

****Product appearance and specifications are subject to change without notice.***