

FIRE ALARM MULTI CONDUCTOR UNSHIELDED PLENUM

Copper conductors with premium grade PVC used for Fire alarm systems.



GENERAL INFO

Fire alarm systems have expanded from a rather simple and unsophisticated business configured upon large, electro-mechanical devices to one relying upon the most modern technologies of microprocessor and chip technology. More and more users— industrial, commercial as well as consumer—are relying upon these emerging systems to protect both property and life. These systems are only as good as their weakest component, whether that component be a processor or interconnecting wire and cable. It is General Cable's charter that all products supplied for use in these and any other systems shall be constructed of only the finest available materials, and provide the service and assurance that the end user not only needs, but requires. Aside from the quality materials used in these designs, specifiers and end users of Carol® Brand wire and cable products have come to expect that these cables are registered and certified with the leading regulatory agencies such as Underwriters Laboratories ... and we haven't let you down! These designs have proven themselves in the area of fire system security over time; all are fabricated with solid, bare copper conductors and insulations and jackets of premium-grade PVC. Offered both with and without shields, the former to protect these critical circuits from noise, these cables will provide the latest in available technology for the system installer and contractor. General Cable Carol Brand products are conveniently packaged in 1000' or 500' lengths to assist the installer.

CONSTRUCTION/DESIGN

Nominal outer diameter [inch]	Conductor strand count	Cable marking	Conductor category	AWG size
0.244		CAROL (R) 12 AWG -- E3532S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	Class 1 = solid	12
0.252		CAROL (R) 12 AWG -- E3062S -- 75C E60233-8 (UL) CL3P OR FPLP --- ROHS - - MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	Class 2 = stranded	12
0.244		CAROL (R) 12 AWG -- E3532S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	Class 1 = solid	12
0.252		CAROL (R) 12 AWG -- E3062S -- 75C E60233-8 (UL) CL3P OR FPLP --- ROHS - - MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	Class 2 = stranded	12
0.252		CAROL (R) 12 AWG -- E3062S -- 75C E60233-8 (UL) CL3P OR FPLP --- ROHS - - MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	Class 2 = stranded	12
0.205		CAROL (R) 14 AWG -- E3522S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (date code) (sequential footage)	Class 1 = solid	14
0.205		CAROL (R) 14 AWG -- E3522S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (date code) (sequential footage)	Class 1 = solid	14
0.205		CAROL (R) 14 AWG -- E3522S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (date code) (sequential footage)	Class 1 = solid	14
0.216		CAROL (R) 14 AWG -- E3052S -- 75C E60233-8 (UL) CL3P OR FPLP --- ROHS - - MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	Class 2 = stranded	14
0.216		CAROL (R) 14 AWG -- E3052S -- 75C E60233-8 (UL) CL3P OR FPLP --- ROHS - - MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	Class 2 = stranded	14
0.205		CAROL (R) 14 AWG -- E3522S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (date code) (sequential footage)	Class 1 = solid	14
0.216		CAROL (R) 14 AWG -- E3052S -- 75C E60233-8 (UL) CL3P OR FPLP --- ROHS - - MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	Class 2 = stranded	14

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
E3532S.41.03	12/2C STRANDED UNSHIELDED FPLP	CAROL (R) 12 AWG -- E3532S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	12	Black, Red	2	Red
E3532S.38.03	12/2C STRANDED UNSHIELDED FPLP	CAROL (R) 12 AWG -- E3532S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	12	Black, Red	2	Red
E3062S.41.86	12/2C STRANDED UNSHIELDED CL3P/FPLP	CAROL (R) 12 AWG -- E3062S -- 75C E60233-8 (UL) CL3P OR FPLP --- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	12	Black, Red	2	Natural
E3532S.41.05	12/2C STRANDED UNSHIELDED FPLP	CAROL (R) 12 AWG -- E3532S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	12	Black, Red	2	Yellow
E3062S.41.03	12/2C STRANDED UNSHIELDED CL3P/FPLP	CAROL (R) 12 AWG -- E3062S -- 75C E60233-8 (UL) CL3P OR FPLP --- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	12	Black, Red	2	Red
E3062S.41.86M	12/2C STRANDED UNSHIELDED CL3P/FPLP	CAROL (R) 12 AWG -- E3062S -- 75C E60233-8 (UL) CL3P OR FPLP --- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	12	Black, Red	2	Natural
E3522S.41.05	14/2C STRANDED UNSHIELDED FPLP	CAROL (R) 14 AWG -- E3522S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (date code) (sequential footage)	14	Black, Red	2	Yellow
E3522S.44.05	14/2C STRANDED UNSHIELDED FPLP	CAROL (R) 14 AWG -- E3522S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (date code) (sequential footage)	14	Black, Red	2	Yellow
E3522S.41.07	14/2C STRANDED UNSHIELDED FPLP	CAROL (R) 14 AWG -- E3522S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (date code) (sequential footage)	14	Black, Red	2	Blue
E3522S.41.04	14/2C STRANDED UNSHIELDED FPLP	CAROL (R) 14 AWG -- E3522S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (date code) (sequential footage)	14	Black, Red	2	Orange

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
E3052S.30.02	14/2C STRANDED UNSHIELDED CL3P/FPLP	CAROL (R) 14 AWG -- E3052S -- 75C E60233-8 (UL) CL3P OR FPLP --- ROHS - - MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	14	Black, Red	2	White
E3052S.41.02	14/2C STRANDED UNSHIELDED CL3P/FPLP	CAROL (R) 14 AWG -- E3052S -- 75C E60233-8 (UL) CL3P OR FPLP --- ROHS - - MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	14	Black, Red	2	White
E3052S.30.86M	14/2C STRANDED UNSHIELDED CL3P/FPLP	CAROL (R) 14 AWG -- E3052S -- 75C E60233-8 (UL) CL3P OR FPLP --- ROHS - - MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	14	Black, Red	2	Natural
E3522S.41.01	14/2C STRANDED UNSHIELDED FPLP	CAROL (R) 14 AWG -- E3522S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (date code) (sequential footage)	14	Black, Red	2	Black
E3052S.30.86	14/2C STRANDED UNSHIELDED CL3P/FPLP	CAROL (R) 14 AWG -- E3052S -- 75C E60233-8 (UL) CL3P OR FPLP --- ROHS - - MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	14	Black, Red	2	Natural
E3052S.41.86	14/2C STRANDED UNSHIELDED CL3P/FPLP	CAROL (R) 14 AWG -- E3052S -- 75C E60233-8 (UL) CL3P OR FPLP --- ROHS - - MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	14	Black, Red	2	Natural
E3052S.41.02M	14/2C STRANDED UNSHIELDED CL3P/FPLP	CAROL (R) 14 AWG -- E3052S -- 75C E60233-8 (UL) CL3P OR FPLP --- ROHS - - MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	14	Black, Red	2	White
E3522S.41.0305	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 14 AWG -- E3522S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (date code) (sequential footage)	14	Black, Red	2	Yellow
E3522S.69.0305	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 14 AWG -- E3522S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (date code) (sequential footage)	14	Black, Red	2	Yellow
E3522S.41.06	14/2C STRANDED UNSHIELDED FPLP	CAROL (R) 14 AWG -- E3522S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (date code) (sequential footage)	14	Black, Red	2	Green

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
E3522S.41.0307	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 14 AWG -- E3522S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (date code) (sequential footage)	14	Black, Red	2	Blue
E3052S.41.04	14/2C STRANDED UNSHIELDED CL3P/FPLP	CAROL (R) 14 AWG -- E3052S -- 75C E60233-8 (UL) CL3P OR FPLP --- ROHS - - MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	14	Black, Red	2	Orange
E3052S.41.06	14/2C STRANDED UNSHIELDED CL3P/FPLP	CAROL (R) 14 AWG -- E3052S -- 75C E60233-8 (UL) CL3P OR FPLP --- ROHS - - MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	14	Black, Red	2	Green
E3522S.30.03	14/2C STRANDED UNSHIELDED FPLP	CAROL (R) 14 AWG -- E3522S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (date code) (sequential footage)	14	Black, Red	2	Red
E3522S.41.03	14/2C STRANDED UNSHIELDED FPLP	CAROL (R) 14 AWG -- E3522S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (date code) (sequential footage)	14	Black, Red	2	Red
E3522S.69.03	14/2C STRANDED UNSHIELDED FPLP	CAROL (R) 14 AWG -- E3522S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (date code) (sequential footage)	14	Black, Red	2	Red
E3522S.44.03	14/2C STRANDED UNSHIELDED FPLP	CAROL (R) 14 AWG -- E3522S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (date code) (sequential footage)	14	Black, Red	2	Red
E3522S.18.03	14/2C STRANDED UNSHIELDED FPLP	CAROL (R) 14 AWG -- E3522S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (date code) (sequential footage)	14	Black, Red	2	Red
E3522S.25.03	14/2C STRANDED UNSHIELDED FPLP	CAROL (R) 14 AWG -- E3522S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (date code) (sequential footage)	14	Black, Red	2	Red
E3522S.69.0306	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 14 AWG -- E3522S -- 75C E60233-8 (UL) CL3P OR FPLP -- ROHS -- MADE IN USA (date code) (sequential footage)	14	Black, Red	2	Green

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
E3522S.41.02	14/2C STRANDED UNSHIELDED FPLP	CAROL (R) 14 AWG -- E3522S -- 75C E60233-8 (UL) CL3P OR FPLP - - ROHS -- MADE IN USA (date code) (sequential footage)	14	Black, Red	2	White
E3524S.41.03	14/4C STRANDED UNSHIELDED FPLP	CAROL (R) 14 AWG -- E3524S -- 75C TYPE FPLP E66267-8 (UL) -- ROHS -- MADE IN USA (date code - MM/YY) (sequential footage)	14	Black, Red, Brown, Blue	4	Red
E3512S.41.04	16/2C STRANDED UNSHIELDED FPLP	CAROL (R) 16 AWG -- E3512S -- 75C E60233-8 (UL) CL3P OR FPLP - - (UL) C(UL) CMP -- ROHS -- MADE IN USA (date code) (sequential footage)	16	Black, Red	2	Orange
E3042S.30.86M	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 16 AWG -- E3042S -- 75C E60233-8 (UL) CL3P OR FPLP - -- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	16	Black, Red	2	Natural
E3042S.30.86	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 16 AWG -- E3042S -- 75C E60233-8 (UL) CL3P OR FPLP - -- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	16	Black, Red	2	Natural
E3042S.41.86	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 16 AWG -- E3042S -- 75C E60233-8 (UL) CL3P OR FPLP - -- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	16	Black, Red	2	Natural
E3042S.69.86	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 16 AWG -- E3042S -- 75C E60233-8 (UL) CL3P OR FPLP - -- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	16	Black, Red	2	Natural
E3042S.43.86	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 16 AWG -- E3042S -- 75C E60233-8 (UL) CL3P OR FPLP - -- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	16	Black, Red	2	Natural
E3044S.41.86	16/4C STRANDED UNSHIELDED CL3P/CMP/FPLP	NA	16	Black, Red, White, Green	2	Natural
E3514S.41.02	16/4C STRANDED UNSHIELDED FPLP	CAROL(R) 16 AWG -- E3514S -- 75C E60233-8 (UL) CL3P OR FPLP - - (UL)C(UL) CMP -- ROHS -- MADE IN USA (date code) (sequential footage)	16	Black, Red, Brown, Blue	2	White

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
E3042S.30.06	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 16 AWG -- E3042S -- 75C E60233-8 (UL) CL3P OR FPLP --- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	16	Black, Red	2	Green
E3512S.41.01	16/2C STRANDED UNSHIELDED FPLP	CAROL (R) 16 AWG -- E3512S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL) CMP -- ROHS -- MADE IN USA (date code) (sequential footage)	16	Black, Red	2	Black
E3512S.41.0302	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 16 AWG -- E3512S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL) CMP -- ROHS -- MADE IN USA (date code) (sequential footage)	16	Black, Red	2	White
E3042S.30.10	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 16 AWG -- E3042S -- 75C E60233-8 (UL) CL3P OR FPLP --- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	16	Black, Red	2	Gray
E3512S.41.07	16/2C STRANDED UNSHIELDED FPLP	CAROL (R) 16 AWG -- E3512S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL) CMP -- ROHS -- MADE IN USA (date code) (sequential footage)	16	Black, Red	2	Blue
E3512S.41.02	16/2C STRANDED UNSHIELDED FPLP	CAROL (R) 16 AWG -- E3512S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL) CMP -- ROHS -- MADE IN USA (date code) (sequential footage)	16	Black, Red	2	White
E3512S.30.06	16/2C STRANDED UNSHIELDED FPLP	CAROL (R) 16 AWG -- E3512S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL) CMP -- ROHS -- MADE IN USA (date code) (sequential footage)	16	Black, Red	2	Green
E3512S.41.06	16/2C STRANDED UNSHIELDED FPLP	CAROL (R) 16 AWG -- E3512S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL) CMP -- ROHS -- MADE IN USA (date code) (sequential footage)	16	Black, Red	2	Green
E3042S.30.02	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 16 AWG -- E3042S -- 75C E60233-8 (UL) CL3P OR FPLP --- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	16	Black, Red	2	White
E3042S.41.02	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 16 AWG -- E3042S -- 75C E60233-8 (UL) CL3P OR FPLP --- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	16	Black, Red	2	White

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
E3042S.18.02	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 16 AWG -- E3042S -- 75C E60233-8 (UL) CL3P OR FPLP --- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	16	Black, Red	2	White
E3512S.30.03	16/2C STRANDED UNSHIELDED FPLP	CAROL (R) 16 AWG -- E3512S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL) CMP -- ROHS -- MADE IN USA (date code) (sequential footage)	16	Black, Red	2	Red
E3512S.41.03	16/2C STRANDED UNSHIELDED FPLP	CAROL (R) 16 AWG -- E3512S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL) CMP -- ROHS -- MADE IN USA (date code) (sequential footage)	16	Black, Red	2	Red
E3512S.69.03	16/2C STRANDED UNSHIELDED FPLP	CAROL (R) 16 AWG -- E3512S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL) CMP -- ROHS -- MADE IN USA (date code) (sequential footage)	16	Black, Red	2	Red
E3512S.86.03	16/2C STRANDED UNSHIELDED FPLP	CAROL (R) 16 AWG -- E3512S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL) CMP -- ROHS -- MADE IN USA (date code) (sequential footage)	16	Black, Red	2	Red
E3512S.44.03	16/2C STRANDED UNSHIELDED FPLP	CAROL (R) 16 AWG -- E3512S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL) CMP -- ROHS -- MADE IN USA (date code) (sequential footage)	16	Black, Red	2	Red
E3512S.18.03	16/2C STRANDED UNSHIELDED FPLP	CAROL (R) 16 AWG -- E3512S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL) CMP -- ROHS -- MADE IN USA (date code) (sequential footage)	16	Black, Red	2	Red
E3512S.38.03	16/2C STRANDED UNSHIELDED FPLP	CAROL (R) 16 AWG -- E3512S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL) CMP -- ROHS -- MADE IN USA (date code) (sequential footage)	16	Black, Red	2	Red
E3512S.41.05	16/2C STRANDED UNSHIELDED FPLP	CAROL (R) 16 AWG -- E3512S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL) CMP -- ROHS -- MADE IN USA (date code) (sequential footage)	16	Black, Red	2	Yellow
E3043S.41.86M	16/3C STRANDED UNSHIELDED CL3P/CMP/FPLP	NA	16	Black, Red, White	3	Natural

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
E3048S.52.86	16/8C STRANDED UNSHIELDED CL3P/CMP/FPLP		16		8	Gray
E3032S.41.02	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 18 AWG -- E3032S -- 75C E60233-8 (UL) CL3P OR FPLP --- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	18	Black, Red	2	White
E3032S.69.02	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 18 AWG -- E3032S -- 75C E60233-8 (UL) CL3P OR FPLP --- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	18	Black, Red	2	White
E3030S.41.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	NA	18	Black, Red	2	Natural
E3502S.41.05	18/2C STRANDED UNSHIELDED FPLP	CAROL (R) 18 AWG -- E3502S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL) CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	18	Black, Red	2	Yellow
E3032S.41.19	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 18 AWG -- E3032S -- 75C E60233-8 (UL) CL3P OR FPLP --- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	18	Black, Red	2	Purple
E3034S.41.02	18/4C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 18 AWG -- E3034S -- 75C E60233-8 (UL) CL3P OR FPLP --- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	18	Black, Red, White, Green	2	White
E3032S.30.22	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 18 AWG -- E3032S -- 75C E60233-8 (UL) CL3P OR FPLP --- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	18	Black, Red	2	Gray
E3032S.30.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 18 AWG -- E3032S -- 75C E60233-8 (UL) CL3P OR FPLP --- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	18	Black, Red	2	Natural
E3032S.41.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 18 AWG -- E3032S -- 75C E60233-8 (UL) CL3P OR FPLP --- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	18	Black, Red	2	Natural

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
E3032S.43.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 18 AWG -- E3032S -- 75C E60233-8 (UL) CL3P OR FPLP --- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	18	Black, Red	2	Natural
E3032S.18.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 18 AWG -- E3032S -- 75C E60233-8 (UL) CL3P OR FPLP --- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	18	Black, Red	2	Natural
E3032S.25.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 18 AWG -- E3032S -- 75C E60233-8 (UL) CL3P OR FPLP --- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	18	Black, Red	2	Natural
E3502S.30.03	18/2C STRANDED UNSHIELDED FPLP	CAROL (R) 18 AWG -- E3502S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL) CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	18	Black, Red	2	Red
E3502S.41.03	18/2C STRANDED UNSHIELDED FPLP	CAROL (R) 18 AWG -- E3502S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL) CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	18	Black, Red	2	Red
E3502S.69.03	18/2C STRANDED UNSHIELDED FPLP	CAROL (R) 18 AWG -- E3502S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL) CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	18	Black, Red	2	Red
E3502S.18.03	18/2C STRANDED UNSHIELDED FPLP	CAROL (R) 18 AWG -- E3502S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL) CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	18	Black, Red	2	Red
E3032S.30.06	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 18 AWG -- E3032S -- 75C E60233-8 (UL) CL3P OR FPLP --- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	18	Black, Red	2	Green
E3032S.30.10	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 18 AWG -- E3032S -- 75C E60233-8 (UL) CL3P OR FPLP --- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	18	Black, Red	2	Gray
E3032S.30.86M	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 18 AWG -- E3032S -- 75C E60233-8 (UL) CL3P OR FPLP --- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	18	Black, Red	2	Natural

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
E3032S.41.01	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 18 AWG -- E3032S -- 75C E60233-8 (UL) CL3P OR FPLP --- (UL) C(UL)CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	18	Black, Red	2	Black
E3508S.38.03	18/8C STRANDED UNSHIELDED FPLP		18	NA	8	Red
E3022S.41.02	20/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL(R) 20 AWG -- E3022S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL) CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	20	Black, Red	2	White
E3022S.30.86	20/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL(R) 20 AWG -- E3022S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL) CMP -- ROHS -- MADE IN USA (DATE CODE) (SEQ FT) (PRINT EVERY 2 FT)	20	Black, Red	2	Natural
E3002S.30.86M	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 22 AWG -- E3002S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL)CMP -- ROHS -- MADE IN USA (date code - MM/YY) (sequential footage)	22	Black, Red	2	Natural
E3002S.41.86M	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 22 AWG -- E3002S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL)CMP -- ROHS -- MADE IN USA (date code - MM/YY) (sequential footage)	22	Black, Red	2	Natural
E3002S.30.06	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 22 AWG -- E3002S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL)CMP -- ROHS -- MADE IN USA (date code - MM/YY) (sequential footage)	22	Black, Red	2	Green
E3002S.30.10	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 22 AWG -- E3002S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL)CMP -- ROHS -- MADE IN USA (date code - MM/YY) (sequential footage)	22	Black, Red	2	Gray
E3002S.30.86	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 22 AWG -- E3002S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL)CMP -- ROHS -- MADE IN USA (date code - MM/YY) (sequential footage)	22	Black, Red	2	Natural
E3002S.41.86	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 22 AWG -- E3002S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL)CMP -- ROHS -- MADE IN USA (date code - MM/YY) (sequential footage)	22	Black, Red	2	Natural

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
E3002S.43.86	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	CAROL (R) 22 AWG -- E3002S -- 75C E60233-8 (UL) CL3P OR FPLP -- (UL) C(UL)CMP -- ROHS -- MADE IN USA (date code - MM/YY) (sequential footage)	22	Black, Red	2	Natural
E3003S.41.02	22/3C STRANDED UNSHIELDED CL3P/CMP/FPLP	NA	22	Black, Red, White	3	White

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
E3532S.41.03	12/2C STRANDED UNSHIELDED FPLP		0.012	0.244			0.3	6.2
E3532S.38.03	12/2C STRANDED UNSHIELDED FPLP		0.012	0.244			0.3	6.2
E3062S.41.86	12/2C STRANDED UNSHIELDED CL3P/FPLP		0.011	0.252			0.28	6.4
E3532S.41.05	12/2C STRANDED UNSHIELDED FPLP		0.012	0.244			0.3	6.2
E3062S.41.03	12/2C STRANDED UNSHIELDED CL3P/FPLP		0.011	0.252			0.28	6.4
E3062S.41.86M	12/2C STRANDED UNSHIELDED CL3P/FPLP		0.011	0.252			0.28	6.4
E3522S.41.05	14/2C STRANDED UNSHIELDED FPLP		0.012	0.205			0.3	5.21
E3522S.44.05	14/2C STRANDED UNSHIELDED FPLP		0.012	0.205			0.3	5.21
E3522S.41.07	14/2C STRANDED UNSHIELDED FPLP		0.012	0.205			0.3	5.21
E3522S.41.04	14/2C STRANDED UNSHIELDED FPLP		0.012	0.205			0.3	5.21

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
E3052S.30.02	14/2C STRANDED UNSHIELDED CL3P/FPLP		0.011	0.216			0.28	5.49
E3052S.41.02	14/2C STRANDED UNSHIELDED CL3P/FPLP		0.011	0.216			0.28	5.49
E3052S.30.86M	14/2C STRANDED UNSHIELDED CL3P/FPLP		0.011	0.216			0.28	5.49
E3522S.41.01	14/2C STRANDED UNSHIELDED FPLP		0.012	0.205			0.3	5.21
E3052S.30.86	14/2C STRANDED UNSHIELDED CL3P/FPLP		0.011	0.216			0.28	5.49
E3052S.41.86	14/2C STRANDED UNSHIELDED CL3P/FPLP		0.011	0.216			0.28	5.49
E3052S.41.02M	14/2C STRANDED UNSHIELDED CL3P/FPLP		0.011	0.216			0.28	5.49
E3522S.41.0305	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.012	0.205			0.3	5.21
E3522S.69.0305	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.012	0.205			0.3	5.21
E3522S.41.06	14/2C STRANDED UNSHIELDED FPLP		0.012	0.205			0.3	5.21

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
E3522S.41.0307	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.012	0.205			0.3	5.21
E3052S.41.04	14/2C STRANDED UNSHIELDED CL3P/FPLP		0.011	0.216			0.28	5.49
E3052S.41.06	14/2C STRANDED UNSHIELDED CL3P/FPLP		0.011	0.216			0.28	5.49
E3522S.30.03	14/2C STRANDED UNSHIELDED FPLP		0.012	0.205			0.3	5.21
E3522S.41.03	14/2C STRANDED UNSHIELDED FPLP		0.012	0.205			0.3	5.21
E3522S.69.03	14/2C STRANDED UNSHIELDED FPLP		0.012	0.205			0.3	5.21
E3522S.44.03	14/2C STRANDED UNSHIELDED FPLP		0.012	0.205			0.3	5.21
E3522S.18.03	14/2C STRANDED UNSHIELDED FPLP		0.012	0.205			0.3	5.21
E3522S.25.03	14/2C STRANDED UNSHIELDED FPLP		0.012	0.205			0.3	5.21
E3522S.69.0306	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.012	0.205			0.3	5.21

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
E3522S.41.02	14/2C STRANDED UNSHIELDED FPLP		0.012	0.205			0.3	5.21
E3524S.41.03	14/4C STRANDED UNSHIELDED FPLP		0.012	0.243			0.3	6.17
E3512S.41.04	16/2C STRANDED UNSHIELDED FPLP		0.01	0.18			0.25	4.37
E3042S.30.86M	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.18			0.2	4.42
E3042S.30.86	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.18			0.2	4.42
E3042S.41.86	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.18			0.2	4.42
E3042S.69.86	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.18			0.2	4.42
E3042S.43.86	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.18			0.2	4.42
E3044S.41.86	16/4C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.009	0.21			0.23	5.21
E3514S.41.02	16/4C STRANDED UNSHIELDED FPLP		0.01	0.21			0.25	5.13

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
E3042S.30.06	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.18			0.2	4.42
E3512S.41.01	16/2C STRANDED UNSHIELDED FPLP		0.01	0.18			0.25	4.37
E3512S.41.0302	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.01	0.18			0.25	4.37
E3042S.30.10	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.18			0.2	4.42
E3512S.41.07	16/2C STRANDED UNSHIELDED FPLP		0.01	0.18			0.25	4.37
E3512S.41.02	16/2C STRANDED UNSHIELDED FPLP		0.01	0.18			0.25	4.37
E3512S.30.06	16/2C STRANDED UNSHIELDED FPLP		0.01	0.18			0.25	4.37
E3512S.41.06	16/2C STRANDED UNSHIELDED FPLP		0.01	0.18			0.25	4.37
E3042S.30.02	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.18			0.2	4.42
E3042S.41.02	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.18			0.2	4.42

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
E3042S.18.02	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.18			0.2	4.42
E3512S.30.03	16/2C STRANDED UNSHIELDED FPLP		0.01	0.18			0.25	4.37
E3512S.41.03	16/2C STRANDED UNSHIELDED FPLP		0.01	0.18			0.25	4.37
E3512S.69.03	16/2C STRANDED UNSHIELDED FPLP		0.01	0.18			0.25	4.37
E3512S.86.03	16/2C STRANDED UNSHIELDED FPLP		0.01	0.18			0.25	4.37
E3512S.44.03	16/2C STRANDED UNSHIELDED FPLP		0.01	0.18			0.25	4.37
E3512S.18.03	16/2C STRANDED UNSHIELDED FPLP		0.01	0.18			0.25	4.37
E3512S.38.03	16/2C STRANDED UNSHIELDED FPLP		0.01	0.18			0.25	4.37
E3512S.41.05	16/2C STRANDED UNSHIELDED FPLP		0.01	0.18			0.25	4.37
E3043S.41.86M	16/3C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.19			0.2	4.7

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
E3048S.52.86	16/8C STRANDED UNSHIELDED CL3P/CMP/FPLP							
E3032S.41.02	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.16			0.2	3.96
E3032S.69.02	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.16			0.2	3.96
E3030S.41.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.15			0.2	3.61
E3502S.41.05	18/2C STRANDED UNSHIELDED FPLP		0.01	0.16			0.25	3.81
E3032S.41.19	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.16			0.2	3.96
E3034S.41.02	18/4C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.19			0.2	4.75
E3032S.30.22	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.16			0.2	3.96
E3032S.30.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.16			0.2	3.96
E3032S.41.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.16			0.2	3.96

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
E3032S.43.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.16			0.2	3.96
E3032S.18.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.16			0.2	3.96
E3032S.25.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.16			0.2	3.96
E3502S.30.03	18/2C STRANDED UNSHIELDED FPLP		0.01	0.16			0.25	3.81
E3502S.41.03	18/2C STRANDED UNSHIELDED FPLP		0.01	0.16			0.25	3.81
E3502S.69.03	18/2C STRANDED UNSHIELDED FPLP		0.01	0.16			0.25	3.81
E3502S.18.03	18/2C STRANDED UNSHIELDED FPLP		0.01	0.16			0.25	3.81
E3032S.30.06	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.16			0.2	3.96
E3032S.30.10	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.16			0.2	3.96
E3032S.30.86M	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.16			0.2	3.96

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
E3032S.41.01	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.16			0.2	3.96
E3508S.38.03	18/8C STRANDED UNSHIELDED FPLP							
E3022S.41.02	20/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.009	0.14			0.23	3.4
E3022S.30.86	20/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.009	0.14			0.23	3.4
E3002S.30.86M	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.12			0.2	3.05
E3002S.41.86M	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.12			0.2	3.05
E3002S.30.06	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.12			0.2	3.05
E3002S.30.10	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.12	27.4	0	0.2	3.05
E3002S.30.86	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.12			0.2	3.05
E3002S.41.86	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.12			0.2	3.05

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
E3002S.43.86	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.12			0.2	3.05
E3003S.41.02	22/3C STRANDED UNSHIELDED CL3P/CMP/FPLP		0.008	0.13			0.2	3.23

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	E3532S.41.03	12/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTS	1	LBS
	E3532S.38.03	12/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	29	LBS
	E3062S.41.86	12/2C STRANDED UNSHIELDED CL3P/FPLP	US	Distribution products	MTS	1	LBS
	E3532S.41.05	12/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	1	LBS
	E3062S.41.03	12/2C STRANDED UNSHIELDED CL3P/FPLP	US	Distribution products	MTS	1	LBS
	E3062S.41.86M	12/2C STRANDED UNSHIELDED CL3P/FPLP	US	Distribution products	MTO	85	LBS
	E3522S.41.05	14/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTS	1	LBS
	E3522S.44.05	14/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	89	LBS
	E3522S.41.07	14/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTS	1	LBS
	E3522S.41.04	14/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	1	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	E3052S.30.02	14/2C STRANDED UNSHIELDED CL3P/FPLP	US	Distribution products	MTS	36	LBS
	E3052S.41.02	14/2C STRANDED UNSHIELDED CL3P/FPLP	US	Distribution products	MTS	1	LBS
	E3052S.30.86M	14/2C STRANDED UNSHIELDED CL3P/FPLP	US	Distribution products	MTO	1	LBS
	E3522S.41.01	14/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTS	1	LBS
	E3052S.30.86	14/2C STRANDED UNSHIELDED CL3P/FPLP	US	Distribution products	MTS	35	LBS
	E3052S.41.86	14/2C STRANDED UNSHIELDED CL3P/FPLP	US	Distribution products	MTS	1	LBS
	E3052S.41.02M	14/2C STRANDED UNSHIELDED CL3P/FPLP	US	Distribution products	MTO	57	LBS
	E3522S.41.0305	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	1	LBS
	E3522S.69.0305	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	1	LBS
	E3522S.41.06	14/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	1	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	E3522S.41.0307	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	1	LBS
	E3052S.41.04	14/2C STRANDED UNSHIELDED CL3P/FPLP	US	Distribution products	MTO	1	LBS
	E3052S.41.06	14/2C STRANDED UNSHIELDED CL3P/FPLP	US	Distribution products	MTO	40	LBS
	E3522S.30.03	14/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTS	35	LBS
	E3522S.41.03	14/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTS	1	LBS
	E3522S.69.03	14/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	1	LBS
	E3522S.44.03	14/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	89	LBS
	E3522S.18.03	14/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTS	18	LBS
	E3522S.25.03	14/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	17	LBS
	E3522S.69.0306	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	1	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	E3522S.41.02	14/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	1	LBS
	E3524S.41.03	14/4C STRANDED UNSHIELDED FPLP	US	Distribution products	MTS	1	LBS
	E3512S.41.04	16/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	1	LBS
	E3042S.30.86M	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	36	LBS
	E3042S.30.86	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTS	24	LBS
	E3042S.41.86	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTS	1	LBS
	E3042S.69.86	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	1	LBS
	E3042S.43.86	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	1	LBS
	E3044S.41.86	16/4C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTS	1	LBS
	E3514S.41.02	16/4C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	1	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	E3042S.30.06	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	24	LBS
	E3512S.41.01	16/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	26	LBS
	E3512S.41.0302	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	1	LBS
	E3042S.30.10	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	1	LBS
	E3512S.41.07	16/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTS	1	LBS
	E3512S.41.02	16/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTS	1	LBS
	E3512S.30.06	16/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	24	LBS
	E3512S.41.06	16/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	1	LBS
	E3042S.30.02	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	24	LBS
	E3042S.41.02	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTS	1	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	E3042S.18.02	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	13	LBS
	E3512S.30.03	16/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTS	24	LBS
	E3512S.41.03	16/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTS	1	LBS
	E3512S.69.03	16/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	1	LBS
	E3512S.86.03	16/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	25	LBS
	E3512S.44.03	16/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	61	LBS
	E3512S.18.03	16/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	13	LBS
	E3512S.38.03	16/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTS	14	LBS
	E3512S.41.05	16/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTS	1	LBS
	E3043S.41.86M	16/3C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	54	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	E3048S.52.86	16/8C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	260	LBS
	E3032S.41.02	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTS	1	LBS
	E3032S.69.02	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	1	LBS
	E3030S.41.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	19	LBS
	E3502S.41.05	18/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	1	LBS
	E3032S.41.19	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	20	LBS
	E3034S.41.02	18/4C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTS	1	LBS
	E3032S.30.22	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	17	LBS
	E3032S.30.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTS	17	LBS
	E3032S.41.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTS	1	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	E3032S.43.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	35	LBS
	E3032S.18.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTS	9	LBS
	E3032S.25.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	8	LBS
	E3502S.30.03	18/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTS	16	LBS
	E3502S.41.03	18/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTS	1	LBS
	E3502S.69.03	18/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	1	LBS
	E3502S.18.03	18/2C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	8	LBS
	E3032S.30.06	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	16	LBS
	E3032S.30.10	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	17	LBS
	E3032S.30.86M	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	26	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	E3032S.41.01	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	1	LBS
	E3508S.38.03	18/8C STRANDED UNSHIELDED FPLP	US	Distribution products	MTO	1	LBS
	E3022S.41.02	20/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	1	LBS
	E3022S.30.86	20/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	12	LBS
	E3002S.30.86M	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	14	LBS
	E3002S.41.86M	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	1	LBS
	E3002S.30.06	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	1	LBS
	E3002S.30.10	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	9	LBS
	E3002S.30.86	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTS	9	LBS
	E3002S.41.86	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTS	1	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	E3002S.43.86	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	21	LBS
	E3003S.41.02	22/3C STRANDED UNSHIELDED CL3P/CMP/FPLP	US	Distribution products	MTO	14	LBS

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
E3532S.41.03	12/2C STRANDED UNSHIELDED FPLP	FOOT	12	12	7	1000 FT Reel
E3532S.38.03	12/2C STRANDED UNSHIELDED FPLP	FOOT	12	12	7	500 FT Reel
E3062S.41.86	12/2C STRANDED UNSHIELDED CL3P/FPLP	FOOT	12	12	7	1000 FT Reel
E3532S.41.05	12/2C STRANDED UNSHIELDED FPLP	FOOT	22	20	1	1000 FT Reel
E3062S.41.03	12/2C STRANDED UNSHIELDED CL3P/FPLP	FOOT	12	12	12	1000 FT Reel
E3062S.41.86M	12/2C STRANDED UNSHIELDED CL3P/FPLP	FOOT	22	20	1	1000 FT Reel
E3522S.41.05	14/2C STRANDED UNSHIELDED FPLP	FOOT	12	12	7	1000 FT Reel
E3522S.44.05	14/2C STRANDED UNSHIELDED FPLP	FOOT	14	14	14	2500 FT Reel
E3522S.41.07	14/2C STRANDED UNSHIELDED FPLP	FOOT	12	12	7	1000 FT Reel
E3522S.41.04	14/2C STRANDED UNSHIELDED FPLP	FOOT	12	12	7	1000 FT Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
E3052S.30.02	14/2C STRANDED UNSHIELDED CL3P/FPLP	FOOT	16	10	16	1000 FT Pull-Pac
E3052S.41.02	14/2C STRANDED UNSHIELDED CL3P/FPLP	FOOT	12	12	11	1000 FT Reel
E3052S.30.86M	14/2C STRANDED UNSHIELDED CL3P/FPLP	FOOT	0	0	0	1000 FT Pull-Pac
E3522S.41.01	14/2C STRANDED UNSHIELDED FPLP	FOOT	12	12	7	1000 FT Reel
E3052S.30.86	14/2C STRANDED UNSHIELDED CL3P/FPLP	FOOT	16	10	16	1000 FT Pull-Pac
E3052S.41.86	14/2C STRANDED UNSHIELDED CL3P/FPLP	FOOT	12	12	7	1000 FT Reel
E3052S.41.02M	14/2C STRANDED UNSHIELDED CL3P/FPLP	FOOT	12	10	11	1000 FT Reel
E3522S.41.0305	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	12	12	9	1000 FT Reel
E3522S.69.0305	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	99	99	99	1000 FT RIB (Plastic Spool)
E3522S.41.06	14/2C STRANDED UNSHIELDED FPLP	FOOT	12	12	7	1000 FT Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
E3522S.41.0307	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	12	12	9	1000 FT Reel
E3052S.41.04	14/2C STRANDED UNSHIELDED CL3P/FPLP	FOOT	12	12	11	1000 FT Reel
E3052S.41.06	14/2C STRANDED UNSHIELDED CL3P/FPLP	FOOT	12	12	11	1000 FT Reel
E3522S.30.03	14/2C STRANDED UNSHIELDED FPLP	FOOT	16	10	16	1000 FT Pull-Pac
E3522S.41.03	14/2C STRANDED UNSHIELDED FPLP	FOOT	12	12	7	1000 FT Reel
E3522S.69.03	14/2C STRANDED UNSHIELDED FPLP	FOOT	99	99	99	1000 FT RIB (Plastic Spool)
E3522S.44.03	14/2C STRANDED UNSHIELDED FPLP	FOOT	14	14	14	2500 FT Reel
E3522S.18.03	14/2C STRANDED UNSHIELDED FPLP	FOOT	7	7	11	500 FT Spool
E3522S.25.03	14/2C STRANDED UNSHIELDED FPLP	FOOT	14	9	14	500 FT Pull-Pac
E3522S.69.0306	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	99	99	99	1000 FT RIB (Plastic Spool)

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
E3522S.41.02	14/2C STRANDED UNSHIELDED FPLP	FOOT	12	12	7	1000 FT Reel
E3524S.41.03	14/4C STRANDED UNSHIELDED FPLP	FOOT	12	12	8	1000 FT Reel
E3512S.41.04	16/2C STRANDED UNSHIELDED FPLP	FOOT	12	12	7	1000 FT Reel
E3042S.30.86M	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	14	9	14	1000 FT Pull-Pac
E3042S.30.86	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	14	9	14	1000 FT Pull-Pac
E3042S.41.86	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	12	12	8	1000 FT Reel
E3042S.69.86	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	12	12	12	1000 FT RIB (Plastic Spool)
E3042S.43.86	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	12	12	7	2000 FT Reel
E3044S.41.86	16/4C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	12	12	7	1000 FT Reel
E3514S.41.02	16/4C STRANDED UNSHIELDED FPLP	FOOT	12	12	7	1000 FT Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
E3042S.30.06	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	13	8	13	1000 FT Pull-Pac
E3512S.41.01	16/2C STRANDED UNSHIELDED FPLP	FOOT	22	20	1	1000 FT Reel
E3512S.41.0302	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	12	12	6	1000 FT Reel
E3042S.30.10	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	12	12	12	1000 FT Pull-Pac
E3512S.41.07	16/2C STRANDED UNSHIELDED FPLP	FOOT	12	12	7	1000 FT Reel
E3512S.41.02	16/2C STRANDED UNSHIELDED FPLP	FOOT	12	12	7	1000 FT Reel
E3512S.30.06	16/2C STRANDED UNSHIELDED FPLP	FOOT	14	9	14	1000 FT Pull-Pac
E3512S.41.06	16/2C STRANDED UNSHIELDED FPLP	FOOT	12	12	7	1000 FT Reel
E3042S.30.02	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	13	9	13	1000 FT Pull-Pac
E3042S.41.02	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	12	12	7	1000 FT Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
E3042S.18.02	16/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	7	7	11	500 FT Spool
E3512S.30.03	16/2C STRANDED UNSHIELDED FPLP	FOOT	14	9	14	1000 FT Pull-Pac
E3512S.41.03	16/2C STRANDED UNSHIELDED FPLP	FOOT	12	12	6	1000 FT Reel
E3512S.69.03	16/2C STRANDED UNSHIELDED FPLP	FOOT	12	12	12	1000 FT RIB (Plastic Spool)
E3512S.86.03	16/2C STRANDED UNSHIELDED FPLP	FOOT	99	99	99	1000 FT RIB (Wood Reel)
E3512S.44.03	16/2C STRANDED UNSHIELDED FPLP	FOOT	12	12	6	2500 FT Reel
E3512S.18.03	16/2C STRANDED UNSHIELDED FPLP	FOOT	11	11	4	500 FT Spool
E3512S.38.03	16/2C STRANDED UNSHIELDED FPLP	FOOT	9	9	6	500 FT Reel
E3512S.41.05	16/2C STRANDED UNSHIELDED FPLP	FOOT	12	12	7	1000 FT Reel
E3043S.41.86M	16/3C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	12	12	1	1000 FT Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
E3048S.52.86	16/8C STRANDED UNSHIELDED CL3P/CMP/FPLP	INCH	20	20	9	3000 FT Reel
E3032S.41.02	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	12	12	7	1000 FT Reel
E3032S.69.02	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	11	11	9	1000 FT RIB (Plastic Spool)
E3030S.41.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	12	12	7	1000 FT Reel
E3502S.41.05	18/2C STRANDED UNSHIELDED FPLP	FOOT	99	99	99	1000 FT Reel
E3032S.41.19	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	12	12	7	1000 FT Reel
E3034S.41.02	18/4C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	12	12	7	1000 FT Reel
E3032S.30.22	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	13	8	12	1000 FT Pull-Pac
E3032S.30.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	13	8	12	1000 FT Pull-Pac
E3032S.41.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	12	12	8	1000 FT Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
E3032S.43.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	12	12	8	2000 FT Reel
E3032S.18.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	14	9	14	500 FT Spool
E3032S.25.86	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	14	14	11	500 FT Pull-Pac
E3502S.30.03	18/2C STRANDED UNSHIELDED FPLP	FOOT	14	9	14	1000 FT Pull-Pac
E3502S.41.03	18/2C STRANDED UNSHIELDED FPLP	FOOT	12	12	7	1000 FT Reel
E3502S.69.03	18/2C STRANDED UNSHIELDED FPLP	FOOT	12	12	12	1000 FT RIB (Plastic Spool)
E3502S.18.03	18/2C STRANDED UNSHIELDED FPLP	FOOT	7	7	10	500 FT Spool
E3032S.30.06	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	13	13	9	1000 FT Pull-Pac
E3032S.30.10	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	99	99	99	1000 FT Pull-Pac
E3032S.30.86M	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	22	20	1	1000 FT Pull-Pac

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
E3032S.41.01	18/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	12	12	8	1000 FT Reel
E3508S.38.03	18/8C STRANDED UNSHIELDED FPLP	INCH	12	12	9	500 FT Reel
E3022S.41.02	20/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	12	12	6	1000 FT Reel
E3022S.30.86	20/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	14	9	14	1000 FT Pull-Pac
E3002S.30.86M	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	8	12	12	1000 FT Pull-Pac
E3002S.41.86M	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	22	20	1	1000 FT Reel
E3002S.30.06	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	99	99	8	1000 FT Pull-Pac
E3002S.30.10	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	8	12	12	1000 FT Pull-Pac
E3002S.30.86	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	12	12	8	1000 FT Pull-Pac
E3002S.41.86	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	12	12	7	1000 FT Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
E3002S.43.86	22/2C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	10	10	7	2000 FT Reel
E3003S.41.02	22/3C STRANDED UNSHIELDED CL3P/CMP/FPLP	FOOT	9	9	6	1000 FT Reel