



Product: <u>FRCT7YL4</u> ☑

Fiber Raceway Tee, 8x12, Lid

Product Description

Fiber Raceway Tee, 8x12, with Lid, Yellow

Technical Specifications

Product Overview

Environmental Space:	Indoor		

Construction

Weight:	3.439 lbs
Height:	4.606 in (116.992 mm
Width:	12.716 in
Length:	14.055 in

Product Material

Materials

Material	
Fire retardant plastic, Halogen free, UL94-VO rated	

Related Part Numbers

Variants

Item #	Color	Length
FRCT7YL4	Yellow	14.055 in

Product Notes

	This tee is used to provide a 220mm tee intersection with standard 300mm straight ducting. Also needed are joiners for 300mm x 100mm duct; either: standard joiners or slotless joiners; and
Notes:	joiners for 220mm x 100mm duct; either: standard joiners or slotless joiners are available separately. All the joiners for the duct connections provide a smooth and strong joint, with mating
	items.

History

Update and Revision:	Revision Number: 0.29 Revision Date: 11-09-2022

© 2023 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.