

Specification Sheet

Part Number: 133-04043

Secures two routings together while keeping them separated, to prevent chafing or heat transfer

Inverted retaining legs and narrow opening prevent inadvertent disengagement

Controlled flex and angled entry promote easy installation

Robust arrowhead design provides low insertion effort yet delivers exceptional retention strength in an 8mm hole



Tube and Pipe Clip with 8mm Fir Tree, 2x 6.5-7.0mm Diameter, PA66HIRHS, Black, 3000/ctn

Article Number	133-04043
Type	PC6.5x2FT8
Color	Black (BK)
Quantity Per	carton
Product Description	Tube and Pipe Clip with 8mm Fir Tree, 2x 6.5-7.0mm Diameter, PA66HIRHS, Black, 3000/ctn
Short Description	Tube and Pipe Clip with 8mm Fir Tree, 2x 6.5-7.0mm Diameter, PA66HIRHS, Black, 3000/ctn
Global Part Name	PC6.5x2FT8-PA66HIRHS-BK

Fixation Method	Fir Tree
Panel Thickness Min (Imperial)	0.02
Panel Thickness Max (Imperial)	0.22
Panel Thickness Min (Metric)	0.6
Panel Thickness Max (Metric)	5.5
Material	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)
Material Shortcut	PA66HIRHS
UV Resistant (Yes/No)	No
Use Conditions	For Indoor and Outdoor Use
Operating Temperature	-40°F to +230°F (-40°C to +110°C)
Reach Compliant (Article 33)	No
ROHS Compliant	Yes
Package Quantity (Imperial)	3000
Package Quantity (Metric)	3000

Customs Number

3926909988

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2025 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)