

Specification Sheet

Part Number: 2FRP9M



Sheathing allows flexible routing and lead-out of cables

The inner edges are beveled preventing damage to cables

Sheathing is reusable and resistant to most chemicals

Spiralwrap is U.L. Recognized

Spiralwrap Protective Sheathing, 0.25" Diameter, PE-FR, Natural, 1000ft/roll

Article Number	161-05031
----------------	-----------

Type	2FRP
------	------

Color	Natural (NA)
-------	--------------

Quantity Per	reel
--------------	------

Product Description	HellermannTyton's Spiralwrap protective sheathing provides cable protection and flexible routing. Spiralwrap is wrapped around a group of cables to shield and organize. Suitable for applications requiring a self-extinguishing material. Lower cost than polyamide 6 or Teflon materials. Natural color is milky white.
---------------------	--

Short Description	Spiralwrap Protective Sheathing, 0.25" Diameter, PE-FR, Natural, 1000ft/roll
-------------------	--

Global Part Name	2FRP-PE-FR-NA
Length L (Imperial)	1000.0
Length L (Metric)	304.8
Variant	Spiral Binding
Bundle Diameter Min (Imperial)	0.19
Bundle Diameter Min (Metric)	4.75
Bundle Diameter Max (Imperial)	2
Bundle Diameter Max (Metric)	50.8
Diameter D (Imperial)	0.25
Diameter D (Metric)	4.1
Nominal Diameter (Imperial)	0.25
Nominal Diameter (Metric)	6.35
Wall Thickness WT (Imperial)	.045
Wall Thickness WT (Metric)	1.14
Material	Polyethylene, flame retardant (PE-FR)

Material Shortcut	PE-FR
Flammability	UL 94 V-2
UV Resistant (Yes/No)	No
Use Conditions	For Indoor Use Only
Operating Temperature	-4°F to +176°F (-20°C to +80°C)
Reach Compliant (Article 33)	No
ROHS Compliant	Yes
UL Recognized (US)	Yes
Package Quantity (Imperial)	1000
Package Quantity (Metric)	304.8
Customs Number	3926909988

7930 N. Faulkner Road, Milwaukee, WI 53224
Phone: (800) 537-1512 | Email: corp@htamericas.com