


Specification Sheet

Part Number: 161-64416



- Unique open design for easy branch-offs at any point along the harness.
- Overwrap formation provides abrasion protection and accommodates multiple bundle configurations.
- Flexible construction and design eliminates pinch points and minimizes bending fatigue, making it ideal for applications involving movement and vibration.
- Split shape allows for future access without disassembly.

Helawrap, HWPP25, 1" (25mm) Dia, PP, White, 100 ft/reel

|                     |                                                                                                                                                                                                                                                                                                                                                                             |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Number      | 161-64416                                                                                                                                                                                                                                                                                                                                                                   |
| Type                | HWPP25                                                                                                                                                                                                                                                                                                                                                                      |
| Color               | White (WH)                                                                                                                                                                                                                                                                                                                                                                  |
| Quantity Per        | reel                                                                                                                                                                                                                                                                                                                                                                        |
| Product Description | The Helawrap cable management system is the flexible routing and protection solution for industrial, datacom and electrical applications. Helawrap easily wraps around cables with a "zipper-like" motion to protect against abrasion and mechanical stress caused by movement and bending. A handy application tool is included in every package for faster installations. |
| Short Description   | Helawrap, HWPP25, 1" (25mm) Dia, PP, White, 100 ft/reel                                                                                                                                                                                                                                                                                                                     |

Global Part Name HWPP25-PP-WH

Length L (Imperial) 100.0

Length L (Metric) 30.48

Variant Spiral Binding

Bundle Diameter Min (Imperial) 0.91

Bundle Diameter Min (Metric) 23.11

Bundle Diameter Max (Imperial) 1.06

Bundle Diameter Max (Metric) 26.92

Diameter D (Imperial) 1.0

Diameter D (Metric) 25.40

Nominal Diameter (Imperial) 1

Nominal Diameter (Metric) 25.0

Wall Thickness WT (Imperial) 0.041

Wall Thickness WT (Metric) 1.05

Material Polypropylene (PP)

|                              |                                               |
|------------------------------|-----------------------------------------------|
| Material Shortcut            | PP                                            |
| Flammability                 | UL 94 HB                                      |
| Halogen Free                 | Yes                                           |
| UV Resistant (Yes/No)        | No                                            |
| Use Conditions               | For Indoor Use Only                           |
| Operating Temperature        | -76°F to +230°F (-60°C to +110°C)             |
| Reach Compliant (Article 33) | Yes                                           |
| ROHS Compliant               | Yes                                           |
| Certification/Specification  | EDAG-LAB   ECE R-118-03 Abschnitt 6 / Annex 6 |
| Package Quantity (Imperial)  | 100                                           |
| Package Quantity (Metric)    | 30.48                                         |
| Customs Number               | 3926909988                                    |

7930 N. Faulkner Road, Milwaukee, WI 53224  
 Phone: (800) 537-1512 | Email: corp@htamericas.com