

Specification Sheet

Part Number: SNP24GHS0C2



Designed for guick, ratcheted installation and can be released and reused.

Heat stabilized material is suitable for high temperature applications.

Snapper Hose Clamp, 1.02" - 1.17" Bundle Diameter, PA66GF13, Black, 100/pkg

Article Number 192-10240

Type SNP24

Color Black (BK)

Quantity Per bag

Product Description

The Snapper Hose Clamp features a ratchet-style closure for reduced assembly time. It can be added after connection of the hose. Release by sliding the ratchet ends apart. Snappers can be used in under-hood applications and are stable in a wide variety of chemicals including salts, bases, alcohols, ethers, detergents, gasoline, lubricating oils and greases. They are manufactured in black PA66 glass filled, impact modified, heat stabilized material. Custom design and color options are available based upon application and volume requirements.

Snapper Hose Clamp, 1.02" - 1.17" Bundle Diameter, PA66GF13, **Short Description**

Black, 100/pkg

Fixation Method	Plug-in mounting
rixation ivietilou	Flug-III IIIOuili

Variant Closed

Bundle Diameter Min (Imperial) 1.02

Bundle Diameter Min (Metric) 25.8

Bundle Diameter Max (Imperial) 1.15

Bundle Diameter Max (Metric) 29.2

Nominal Diameter (Imperial) 1.06

Nominal Diameter (Metric) 27

Wall Thickness WT (Imperial) 0.1

Wall Thickness WT (Metric) 1.7

Material Polyamide 6.6 glass filled impact modified heat stabilized

(PA66GF13%)

Material Shortcut PA66GF13

Flammability UL 94 HB

UV Resistant (Yes/No)

No

Use Conditions

For Indoor and Outdoor Use

Operating Temperature

-40°F to +221°F (-40°C to +105°C)

Reach Compliant (Article 33)

Yes

ROHS Compliant

Yes

Package Quantity (Imperial)

100

Package Quantity (Metric)

100

Customs Number

3926909988

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2025 HellermannTyton. All Rights Reserved.

Contact Us

RoHS/WEEE Compliance

Disclaimer

Terms and Conditions