

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Protective hose in galvanized steel

Image shows WP-STEEL ZC 10 GY version

## **Key Commercial Data**

| Packing unit           | 1 M      |
|------------------------|----------|
| Minimum order quantity | 10 M     |
| Custom tariff number   | 83071000 |
| Country of origin      | Germany  |

#### Technical data

#### **Dimensions**

| Inner diameter (f) | 18.00 mm |
|--------------------|----------|
| Outside diameter   | 21.00 mm |

#### Ambient conditions

| Ambient temperature (operation) | -200 °C 220 °C |
|---------------------------------|----------------|
|---------------------------------|----------------|

#### General

| Color                  | silver            |
|------------------------|-------------------|
| Туре                   | Spirals           |
| Components             | Halogen-free      |
| Material               | Steel, galvanized |
| Bending radius, static | 50.00 mm          |

### Classifications

### eCl@ss

| eCl@ss 4.0 | 27141131 |
|------------|----------|
| eCl@ss 4.1 | 27141131 |



### Classifications

### eCl@ss

| eCl@ss 5.0 | 27141131 |
|------------|----------|
| eCl@ss 5.1 | 27141120 |
| eCl@ss 6.0 | 27141120 |
| eCl@ss 7.0 | 27141120 |
| eCl@ss 8.0 | 27430301 |

#### **ETIM**

| ETIM 3.0 | EC000897 |
|----------|----------|
| ETIM 4.0 | EC001179 |
| ETIM 5.0 | EC001179 |

### UNSPSC

| UNSPSC 6.01   | 30211812 |
|---------------|----------|
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11     | 39121411 |
| UNSPSC 12.01  | 39121411 |
| UNSPSC 13.2   | 39121411 |

## Approvals

Approvals

Approvals

VDE Zeichengenehmigung

Ex Approvals

Approval details

VDE Zeichengenehmigung Ahttp://www.vde.de

### Accessories

Accessories

Corrugated pipe screw connection



### Accessories

Screw connection - WP-G BRASS IP40 PG16 - 3241040



Cable gland made from brass with Pg thread, IP40 protection

Screw connection - WP-G BRASS IP40 M20 - 3241047



Cable gland made from brass with metric thread, IP40 protection

Screw connection - WP-GT BRASS PG16 - 3241026



Cable gland made from brass with Pg thread, rotatable, IP40 protection

Screw connection - WP-GT BRASS M20 - 3241033



Cable gland made from brass with metric thread, rotatable, IP40 protection

Mounting material

Hose clamp - WP-BASE HF 22 - 3240970



Hose clamps



### Accessories

Protective hose fixing bracket - WP-BASE A PG16 - 3241079



Fixing bracket for protective sleeves, fixed with two screws

Protective hose fixing bracket - WP-BASE A M20 - 3241084



Fixing bracket for protective sleeves, fixed with two screws

### Protective cap

Cable protection end sleeve - WP-SC BRASS 21 - 3241068



End sleeves as cable protection, made of brass

Phoenix Contact 2016 © - all rights reserved http://www.phoenixcontact.com