



Product: [FRCDUYL1SK](#)

## Fiber Raceway Drop Off Kit and Tube, with Lid



### Product Description

Fiber Raceway Drop Off Tube 50mm for 100mm; 220mm Duct & 300mm

### Technical Specifications

#### Product Overview

Environmental Space:	Indoor
----------------------	--------

#### Construction

Weight:	0.264 lbs
Height:	3.937 in (100.000 mm)
Width:	8.267 in
Length:	3.149 in

#### Product Material

##### Materials

Material
Fire retardant plastic, Halogen free, UL94-VO rated

#### Related Part Numbers

##### Variants

Item #	Color	Length
FRCDUYL1SK	Yellow	3.149 in

#### Product Notes

Notes:	The drop off kit is used to provide a safe exit for fibre cords to equipment below or above 300, 220, 100 & 50mm ducting. It fits into a cut out provided by the cut out tool and includes: A spreader to lock the drop off connector, and a RAMP OFF, The ramp off also clips into the same cut out (when fitting to 300, 220 & 100mm ducting). It provides a tubular exit point over which a Ø44mm ID/ Ø50 mm OD flexible (or split) convoluted tube can be fitted. Also convoluted tubing adaptor kit can be used.
--------	---

#### History

Update and Revision:	Revision Number: 0.29 Revision Date: 11-09-2022
----------------------	---

© 2023 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.