

MAVR-0454xx Series Rev. V9

Features

- Surface Mount Plastic Package: SOT-23
- SPC Process for Superior C vs. V and Q vs. V Repeatability
- RoHS* Compliant

Application

ISM

Description

The MAVR-0454xx Series is a highly repeatable, UHCVD/ion-implanted, abrupt silicon tuning varactor in a cost effective surface mount package. This series of varactors is designed for general purpose tuning in the HF to UHF frequency bands. It is efficient for wide tuning across a 0 - 30 V range. These diodes are offered with 100% matte Sn plating.

This series of tuning varactors are useful for tuning applications in the HF through UHF ranges. Applications include VCO's and voltage tuned filters in radios, cable TV tuners and test instruments where low cost and excellent lot to lot repeatability are critical.

Single

Configuration: SOT-23



Common Cathode

| Part # | Configuration | Package Cp (pF) | Package Ls (nH) | |
|--------------------|----------------|--------------------|--------------------|--|
| MAVR-045436-0287AT | Single | 0.12 | 1.3 | |
| MAVR-045438-0287AT | Single | 0.12 | 1.3 | |
| MAVR-045440-0287AT | Single | 0.12 | 1.3 | |
| MAVR-045441-0287AT | Single | 0.12 | 1.3 | |
| MAVR-045446-0287AT | Single | 0.12 | 1.3 | |
| MAVR-045436-0287FT | Common Cathode | 0.12 | 1.3 | |
| MAVR-045438-0287FT | Common Cathode | 0.12 | 1.3 | |
| MAVR-045440-0287FT | Common Cathode | 0.12 | 1.3 | |
| MAVR-045441-0287FT | Common Cathode | 0.12 | 1.3 | |
| MAVR-045448-0287AT | Single | 0.12 | 1.3 | |

Ordering Information

* Restrictions on Hazardous Substances, compliant to current RoHS EU directive.

1

MACOM Technology Solutions Inc. (MACOM) and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice. Visit <u>www.macom.com</u> for additional data sheets and product information.



Electrical Specifications: $T_A = +25$ °C Breakdown Voltage @ $I_R = 10$ mA, $V_B = 30$ V min., Reverse Leakage Current @ $V_R = 24$ V, $I_R = 100$ nA max.

| | Total Capacitance (pF) | | | Capacitance Ratio | Q Minimum |
|--|---------------------------|------|------|--|--------------|
| Part Number ¹ | $V_R = 4 V, 1 MHz$ | | | C _T 0 V / C _T 30 V | $V_R = 4 V$ |
| | Min. | Nom. | Max. | Тур. | Min. |
| MAVR-045436-0287AT MAVR-045436-0287FT | 4.23 | 4.7 | 5.17 | 4.5 | 1800 |
| MAVR-045438-0287AT MAVR-045438-0287FT | 6.12 | 6.8 | 7.48 | 4.5 | 1600 |
| MAVR-045440-0287AT MAVR-045440-0287FT | 9 | 10 | 11 | 4.5 | 1300 |
| MAVR-045441-0287AT MAVR-045441-0287FT | 10.8 | 12 | 13.2 | 4.6 | 1200 |
| MAVR-045446-0287AT | 29.7 | 33 | 36.3 | 4.7 | 750 |
| MAVR-045448-0287AT | 42.3 | 47 | 51.7 | 4.7 | 400 |

1. The suffix defines package style, configuration and packaging information. Contact representative for complete part identification.

Absolute Maximum Ratings^{2,3} @ T_A = +25°C

| Parameter | Absolute Maximum | |
|-----------------------|------------------|--|
| Reverse Voltage | 30 V | |
| Forward Current | 50 mA | |
| Operating Temperature | -55°C to +125°C | |
| Storage Temperature | -55°C to +125°C | |

2. Operation of this device above any one of these parameters may cause permanent damage.

3. Please refer to application note M538 for surface mounting instructions.

MACOM Technology Solutions Inc. (MACOM) and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice. Visit <u>www.macom.com</u> for additional data sheets and product information.



MAVR-0454xx Series

Rev. V9

Mounting Information

The illustration indicates the recommended mounting pad configuration for the SOT-23 packages. Solder paste containing flux should be screened onto the pads to a thickness of 0.005 - 0.007 inches. The plastic package is placed in position, firmly adhering to the solder paste.

Permanent attachment is performed by a reflow soldering procedure during which the tab temperature does not exceed +275°C and the body temperature does not exceed +250°C, for standard models and +260°C for the RoHS compliant devices.

Please refer to Application Note M538 for surface mounting instructions.

SOT-23 (Case Style 287)



| DIM | INCHES | | MILLIMETERS | | |
|-------|------------|-------|-------------|------|--|
| DINI. | Min. | Max. | Min. | Max. | |
| А | 3⁄4 | 0.048 | 3⁄4 | 1.22 | |
| В | 3/4 | 0.008 | 3/4 | 0.20 | |
| С | 3⁄4 | 0.040 | 3⁄4 | 1.00 | |
| D | 0.013 | 0.020 | 0.35 | 0.50 | |
| Е | 0.003 | 0.006 | 0.08 | 0.15 | |
| F | 0.110 | 0.119 | 2.80 | 3.00 | |
| G | 0.047 | 0.056 | 1.20 | 1.40 | |
| Н | 0.037 typ. | | 0.95 typ. | | |
| J | 0.075 typ. | | 1.90 typ. | | |
| К | 3⁄4 | 0.103 | 3⁄4 | 2.60 | |
| L | 3⁄4 | 0.024 | 3⁄4 | 0.60 | |
| DIM. | GRADIENT | | | | |
| М | 10° max. | | | | |
| Ν | 2°30° | | | | |

SOT-23





MAVR-0454xx Series Rev. V9

MACOM Technology Solutions Inc. ("MACOM"). All rights reserved.

These materials are provided in connection with MACOM's products as a service to its customers and may be used for informational purposes only. Except as provided in its Terms and Conditions of Sale or any separate agreement, MACOM assumes no liability or responsibility whatsoever, including for (i) errors or omissions in these materials; (ii) failure to update these materials; or (iii) conflicts or incompatibilities arising from future changes to specifications and product descriptions, which MACOM may make at any time, without notice. These materials grant no license, express or implied, to any intellectual property rights.

THESE MATERIALS ARE PROVIDED "AS IS" WITH NO WARRANTY OR LIABILITY, EXPRESS OR IMPLIED, RELATING TO SALE AND/OR USE OF MACOM PRODUCTS INCLUDING FITNESS FOR A PARTICULAR PURPOSE, MERCHANTABILITY, INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHT, ACCURACY OR COMPLETENESS, OR SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES WHICH MAY RESULT FROM USE OF THESE MATERIALS.

MACOM products are not intended for use in medical, lifesaving or life sustaining applications. MACOM customers using or selling MACOM products for use in such applications do so at their own risk and agree to fully indemnify MACOM for any damages resulting from such improper use or sale.

⁴

MACOM Technology Solutions Inc. (MACOM) and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice. Visit <u>www.macom.com</u> for additional data sheets and product information.