

PRODUCT-DETAILS

# IH3-2-LM

## 3/4INCHD-T DEV BX W/MNT 3 HOLE



General Information	
Extended Product Type	IH3-2-LM
Product ID	7TAA002010R0008
EAN	5414363936077
Catalog Description	3/4INCHD-T DEV BX W/MNT 3 HOLE
Long Description	Single Gang Universal Weatherproof Box, 18.3 Cubic Inches, Hub Size 3/4 Inch, Silver, Aluminum, 3 Outlets, One on Top, Bottom, and Back, with Mounting Lugs

Ordering	
EAN	5414363936077
UPC	42269392250
Country of Origin	India (IN)
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	1 EA
Package Level 1 Width	69.85 mm 2.75 in
Package Level 1 Height	57.15 mm 2.25 in

Package Level 1 Depth / Length	120.65 mm 4.75 in
Package Level 2 Units	50 EA
Package Level 2 Width	247.65 mm 9.75 in
Package Level 2 Height	273.05 mm 10.75 in
Package Level 2 Depth / Length	368.3 mm 14.5 in
Package Level 3 Units	1500 EA
Package Level 3 Width	0 mm 0 in
Package Level 3 Height	0 mm 0 in
Package Level 3 Depth / Length	0 mm 0 in

Additional Information

Application	Dry-tite boxes and covers protect wiring devices, switches, electronic components and terminal blocks in dry, damp and wet locations
Brand / Label	Red Dot
Color	Silver
Effective Date	20000105
Material	Aluminum Alloy
Product Name	"BOARDS, PANELS, CONSOLES, DESK"
Product Type	Device Boxes, Covers & Accessories
Special Functions	Clean cover edges help provide good gasket sealing
Standards	UL E28688
Volume	18.3 cu.. in

Certificates and Declarations

Data Sheet, Technical Information	TDS000549
-----------------------------------	-----------

Classifications

ETIM 6	EC002601 - Box/housing for built-in mounting in the wall/ceiling
ETIM 7	EC002601 - Box/housing for built-in mounting in the wall/ceiling
ETIM 8	EC002601 - Box/housing for built-in mounting in the wall/ceiling
UNSPSC	39121305
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4429 >> Weatherproof boxes

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Electrical Boxes

