



SERPAC 111C

ELECTRONIC ENCLOSURES



PART NO.	DESCRIPTION (Included)	ACCESSORIES (Optional)	
1-1C	Top	PART NO.	DESCRIPTION
11	Bottom	50	Non-skid Feet
6005	#4X3/8" Self-Tapping Screw (4)	PS11	Waterproof Perimeter Seal
		1030	Pocket Clip
		1040	2AA Battery Holder
		55	Key Holder
		60	Standoff Hole
		61	Standoff Post

Notes: Enclosure weight .24 lb / 107 g

1) Enclosure meets or exceeds IP40 and NEMA 1

2) Circuit Board drawings see sheet 3.






3) All components are RoHS Compliant.

4) Material: Top PC and Bottom ABS.

5)When used with PS11 the enclosure meets or exceeds IP 67 and NEMA 4X, 12 and 13 MIL-STD-810G 506.5 (.01 lb / 7g) 5

SERPAC 111C

ELECTRONIC ENCLOSURES



- Notes:
- 1) Enclosure weight .35 lb / 158 g
 - 2) Enclosure meets or exceeds IP40 and NEMA 1
 - 3) Circuit Board drawings see sheet 3.
 - 4) All components are RoHS Compliant.
 - 5) Material: Top PC and Bottom ABS.
 - 6) Customizable molding areas. $\triangle 5$
 - 7) PCB Bosses accept #4 self tapping screw. $\triangle 6$
 - 8) When used with PS11 the enclosure meets or exceeds IP 67 and NEMA 4X, 12 and 13 MIL-STD-810G 506.5 (.01 lb / 7g)

SERPAC 111C CIRCUIT BOARD

ELECTRONIC ENCLOSURES

Top & Bottom Option

