





Features

- Drop-in lid creates enclosure and prevents product from falling out or being damaged by other objects being placed on top
- Finger notches in lids for easy lifting
- Constructed of impregnated corrugated material for greater durability
- Buried shielding layer minimizes the potential of sloughing and abrasion contamination
- Made from 100% recycled material and is 100% recyclable
- Made in the United States of America

Part Number	For Use With
<u>37766</u>	<u>37750</u>
<u>37767</u>	37760 & 37762
<u>37768</u>	<u>37751</u>
<u>37769</u>	<u>37761</u> & <u>37763</u>

Meets the required limits of ANSI/ESD S20.20, and Packaging standard ANSI/ESD S541.

SPECIFICATIONS

Properties Typical Values 1×10^6 to $< 1 \times 10^9$ ohms **Surface Resistance**

Discharge Shielding <10 nJ

Sloughing Test Negligible surface damage at 10 cycles and <5% of surface

damage at 200 cycles in Taber Abrasion Test. No conductive particles abrased from surface

Recyclability Complete recyclability of package Test Procedures/Method

ANSI/ESD STM11.11 ANSI/ESD STM11.31

ASTM D4060 at 70 rpm with CS-17 abrasive-coated

wheels and 1000 grams load

Rockwell International Test Report of January 8, 1992 Rockwell International Test Report of January 8, 1992



Specifications and procedures subject to change without notice.

BURIED SHIELDING LAYER

DROP IN LID, TEK-TRAY

PROTEKTIVE PAK

13520 MONTE VISTA AVENUE, CHINO, CA 91710 PHONE (909) 627-2578 ProtektivePak.com

DRAWING NUMBER 37766

DATE: December 2024