


IEC Mineral Insulated Thermocouple Type K Stainless Steel 3 x 250mm Plain Pot

1m PFA Flat Pair Bare Tails

XE-3112-001



Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockists of Thermocouple Cables. The Company has been trading since 1971 and is ISO 9001 accredited.

Datasheet



Specifications

General Description	Plain pot seal (200°C) with 1 Metre of PFA insulated lead,			
	7/0.2mm flat pair with tails.			
Sensor Type	Mineral Insulated			
Thermocouple Type	couple Type K			
Element/hot junction	Single element, junction insulated from sheath (offers			
	protection against spurious electrical signals)			
Probe Diameter	3.0mm			
Probe Length	250mm			
Sheath Material	Stainless steel 310			
Pot Type	Plain (+200°C)			
Cable Length	1m			
Cable Type	PFA Teflon® insulated flat pair cable and tails (colour			
	coded to IEC 584)			
Core / Strands	7/0.2mm			
Termination Type	Bare tails			
Max. Temperature	+1100°C			
Min. Temperature	-40°C			
Tolerance	Class 1			
Standards Met	In accordance with IEC 584			

Ordering Information

Thermocouple Type	Colour Code	Size	Order Number
К	IEC	3mm x 250mm	XE-3112-001