


## ST-HDR-2-3-FT

#### 2 x 3 Header Breakout Board





- Breaks out all 6 contacts
- Screw terminals for fast connections
- Prototyping area for in-circuit modifications
- Easy access for probing and debugging
- Quickly access IDC connector pins
- Rubber feet provide a stable base

Specifications	
Wire Range (stranded)	16-26 AWG
Wire Range (solid)	16-26 AWG
Connector	2x3 Header
Lead Free	Yes
Temperature Rating	-15°C to +70°C


This 2x3 header breakout board provides a convenient method of accessing all the contacts of a female header or IDC connector. Each of the 6 connections are brought out to a screw terminal for fast and secure termination to wires. This board also features a prototyping area to enable in-circuit modifications as well as easy probing/diagnostics. The prototyping grid has a standard 0.1" pattern to enable compatibility with a variety of components. The rubber feet on this model provide clearance for the connections on the bottom making it perfect for a lab environment where it can be placed directly on a bench.

# SCHMALZTECH

# ST-HDR-2-3-FT

#### 2 x 3 Header Breakout Board

## **Mechanical Drawings**



#### **Electrical Connections**

Each pin of the 2x3 header is electrically connected to a single row of the prototyping area and to one screw terminal. The pins of this connector have a standard 0.1" pitch.


See photo to right for example usage.



Cable not included



# **ST-HDR** - Ordering Information



#### **Ordering**

To order please visit www.schmalztech.com or one of our distributors to quickly place an online order.

Orders may also be placed by email or phone:

Email: sales@schmalztech.com Phone: +1 (844) 399-9213

### **Expedited Shipping**

If overnight shipping is required please contact us directly so that we can expedite your order. Overnight shipping is provided through UPS and will incur an additional charge

## **Custom Designs**

Can't find what you need? We can design and produce a custom board to fit your exact needs. Please reach out to us for additional information and pricing.