

PRODUCT-DETAILS

KA70-1021

KA70-1021 Tube



General Information

Extended Product Type	KA70-1021
Product ID	1SFA616077R1021
EAN	7320500202630
Catalog Description	KA70-1021 Tube
Long Description	KA70-1021 Tube Anodized Aluminum D=25mm L=250mm

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85369001
Product Main Type	KA70

Popular Downloads

Data Sheet, Technical Information	1SFC151007C02__
Instructions and Manuals	1SFC151011M0201

Dimensions

Product Net Width	0.07 m
-------------------	--------

Product Net Depth / Length	0.05 m
Product Net Height	0.07 m
Product Net Weight	0.08 kg

Technical

Accessory Type	Signal towers and beacons
Standards	CAN/CSA C22.2 No.14, IEC/EN 60947-1, IEC/EN 60947-5-1, UL 508

Environmental

Ambient Air Temperature	Operation -20 ... +50 °C Storage -20 ... 50 °C
Material	Metal

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2022-006479
RoHS Information	2CMT2022-006498
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Toxic Substances Control Act - TSCA	2CMT2023-006523
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

Declaration of Conformity - CE	2CMT2015-005456
--------------------------------	-----------------

Container Information

Package Level 1 Units	bag 1 piece
Package Level 1 Width	0.055 m
Package Level 1 Depth / Length	0.075 m
Package Level 1 Height	0.075 m
Package Level 1 Gross Weight	0.08 kg
Package Level 1 EAN	7320500202630

Classifications

eClass	V11.0 : 27371236
E-Number (Finland)	2314979
E-Number (Sweden)	5379054
ETIM 6	EC001155 - Tube for signal tower
ETIM 7	EC001155 - Tube for signal tower
ETIM 8	EC001155 - Tube for signal tower
ETIM 9	EC001155 - Tube for signal tower
IDEA Granular Category Code (IGCC)	3937 >> Strobe or warning lights

Object Classification Code	S
UNSPSC	39111706

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Signal Towers and Beacons

