

1-Outlet Surge Protector - French Type E Outlet, 220-250V AC, 16A, Direct Plug, Type E Plug, White

MODEL NUMBER: TLP1F



1-outlet surge protector safeguards a home/office electronic device against dangerous surges, spikes and line noise.

Features

1-Outlet Surge Protector Safeguards Your Sensitive Electronics Against Power Fluctuations Ideal for your home or office workstation, this Protect It!® single-outlet surge protector features a surge suppression rating of 250 joules and provides protection in line-to-neutral (L-N) mode to defend your sensitive electronic components against power surges and spikes.

Designed for Quick, Easy Connection in Tight Spaces Compatible with standard electrical equipment, this surge protector plugs directly into a Type E wall outlet (no cord required), so you can install it behind furniture placed flush against the wall. It features one French Type E outlet and a durable white plastic housing. It is ideal for powering almost anything with a compatible plug, including computers and mobile devices to appliances and power tools.

Premium Protection from EMI/RFI Line Noise Helps Your Equipment Perform Better Various electromagnetic and radio sources found in virtually every home and business can cause disruptive interference on the AC line. Known as EMI (electromagnetic interference) and RFI (radio frequency interference), this line noise is a common cause of performance problems. This surge protector filters out disruptive line noise that can disturb your electronics and inflict hardware damage or data loss. This EMI/RFI filtering also helps your connected components perform better and last longer.

Premium Safety Features for Protecting Your Valuable Equipment A green LED confirms that your connected equipment is protected. In the event of an overload, a 16-amp circuit breaker immediately shuts down the power strip to prevent equipment damage.

Specifications

OVERVIEW	
UPC Code	037332251534

Highlights

- French Type E outlet distributes power to an appliance, tool or other device
- Plugs directly into the wall (no cord required) for easy installation in tight spaces
- 250 joules protect your valuable electronics against dangerous surges and spikes
- 16A circuit breaker shuts down outlet for safety in case of overload

Applications

- Protect a computer or peripheral against AC power surges and spikes
- Filter potentially damaging line noise to improve connected equipment's performance and lifespan
- Safeguard valuable data against damage stemming from unexpected surges

Package Includes

- TLP1F 1-Outlet Direct-Plug Surge Protector, French Type E Outlet, White



Powering Business Worldwide

TRIPP-LITE
by **EAT•N**

INPUT	
Nominal Input Voltage(s) Supported	230V AC
Recommended Electrical Service	230V (220-250V)
Voltage Compatibility (VAC)	220-250
Input Plug Type	French
Right-Angle Plug	No
Integrated Cord Clip	No
OUTPUT	
Frequency Compatibility	50 / 60 Hz
Output Receptacles	(1) French/Belgian
Circuit Breaker (amps)	16
Right-Angle Outlets	Yes
USER INTERFACE, ALERTS & CONTROLS	
Diagnostic LED(s)	No
SURGE / NOISE SUPPRESSION	
AC Suppression Joule Rating	250
Protection Modes	Includes full normal mode (H-N)
Automatic Shut-Off	No
DATALINE SURGE SUPPRESSION	
Cable (Coax) Protection	No
Network (Ethernet) Protection	No
Telephone/DSL Protection	No
PHYSICAL	
Material of Construction	Plastic
Power Cord Color	White
Housing Color	White
Mounting Holes or Slots	Yes
Receptacle Color	White
Shipping Dimensions (hwd / in.)	4.20 x 4.30 x 2.90
Shipping Dimensions (hwd / cm)	10.67 x 10.92 x 7.37
Shipping Weight (lbs.)	0.25
Shipping Weight (kg)	0.11

Unit Dimensions (hwd / in.)	2.100 x 2.700 x 2.900
Unit Weight (lbs.)	0.1
Unit Weight (kg)	0.05
FEATURES & SPECIFICATIONS	
Rotatable Outlets	No
Antimicrobial	No
STANDARDS & COMPLIANCE	
Product Compliance	RoHS; CE (Europe); REACH
WARRANTY & SUPPORT	
Product Warranty Period (Worldwide)	Lifetime limited warranty

1000 Eaton Boulevard
Cleveland, OH 44122
United States
<https://tripplite.eaton.com>

© 2025 Eaton. All Rights Reserved.
Eaton is a registered trademark. All other trademarks
are the property of their respective owners.