

High Quality Products, Excellent Technical & Customer Services Free shipping in US mainland for order over \$70*

Tel: 1-864-469-0919 Email: info@oasisscientific.com

The Vividia CX-4010i Flexible Smartphone Joystick Articulating Inspection Camera

Vividia CX-4010i Joystick Articulating Borescope



Borescope has a 4mm (0.16") diameter and 1meter flexible probe length. The probe is covered by a metal-mesh tube for durability and IP67 waterproofing & dust resistance. The CX-4010i has bright LED lights, joystick pivoting and can be used to investigate dark places as a diagnostical inspection camera. The camera head can be steered with the joystick to all directions and all angles. The CX-4010i can be directly connected to an iPhone, iPad or Android device through a USB cable. With the free app "USee" on the Google Play Store & Apple App Store, one can seamlessly record picture and video directly to their device. With a waterproof flexible insertion tube and probe camera, the Vividia CX-4010i borescope is suitable for many applications. These include but are not limited to looking into engine cylinders, inside airplane wings, behind instrumental panels and inside brake systems. It is also particularly useful for diesel applications due to its small diameter. The Vividia CX-4010i is a fantastic diagnostic inspection camera for auto mechanics and technicians.

CX-4010i Tech Specs:

Model: Compatible systems: above Camera head diameter: Camera head bending length: Camera sensor resolution: Focus range: FOV: LED lights: Probe length: Probe tube material: Articulation type and angles: Waterproof (probe only): Output: Battery built-in: Working time: Dimension (without stand): Weight (without stand): Special features:

CX-4010i or CX-4015i iOS 9.0 and above, Android OS 10

0.16" / 4.0mm ~ 35mm / 1.38" CMOS, 1280x720 10mm / 0.4" to infinity 100 degree 6 white LED lights; 4 levels brightness 1m / 3.3 ft Wear-resistant metal mesh Joystick 360 all-around, >180 degree Waterproof IP67 USB-A out Rechargeable lithium, 2600 mAh >3h after full charge 195 x 57 x 10 mm 0.3 kg / 0.66 lbs Auto off; articulation angle locking

