

Ideal for professional use and higher education, the VE-S5 is an excellent tool in medical industrial research. A versatile device, useful in production procedures or quality inspection of industrial products, thanks to its zoom system. Its Greenough design allows three-dimensional observation of insects.

The VE-S5 is ideal in the dissection and classification of organisms in entomology and taxonomy, as well as the observation and selection of viable embryos in livestock.







# Velab, Co.

USA

VELAB MICROSCOPES is the registered trade mark of Velab, Co.

Velab follows a policy of continuos innovation. Design and specifications are subject to change without prior notice

www.velab.net.

# VE-S5

# Trinocular Stereoscope with Zoom System

Ideal for professional use and higher education, the VE-S5 is an excellent tool in medical industrial research. A versatile device, useful in production procedures or quality inspection of industrial products, thanks to its zoom system. Its Greenough design allows three-dimensional observation of insects. The VE-S5 is ideal in the dissection and classification of organisms in entomology and taxonomy, as well as the observation and selection of viable embryos in livestock.

## **SPECIFICATIONS**

#### **EYEPIECES**

WF 10X/20 mm with block screw, rubber eyecups and diopter adjustment on one eyepiece.

#### **HEAD**

Triocular head, 45° inclined. Interpupillary distance adjustment between 55-75mm / 2.16" - 2.95" and zoom adjustment knobs.

# **OBJECTIVE**

With zoom system for variable magnifications of 0.7X, 0.8X, 1X, 1.5X, 2X, 3X, 4X and 4.5X (from 7 to 45 total increases), with objective cover.

# **STAND**

Stative, robust and reinforced with epoxy paint finish.

# **STAGE**

Interchangeable between translucent white and double side white / black, with a pair of stage clips.

## **FOCUSING**

Coarse anti-slip control knob with tension adjustment.

#### **ILLUMINATION**

Transmitted and incident LED light with independent variable intensity control.

#### **POWER SUPPLY**

110-240V, 50/60 Hz AC adapter.

# **ACCESSORIES INCLUDED**

Dust cover.

Operation manual.

Power cord.





