

Specification Sheet

Part Number: 596-00382

Thermal transfer labels are made with high-performance materials for long-term industrial applications.

Labels can be printed in any standard thermal transfer printer giving the user options for printing and eliminating the need to be dedicated to one printer model.

The labels are available in a wide variety of sizes so that finding a label for a particular application is easy.



Article Number	596-00382
Type	PLW3P
Color	White (WH)
Quantity Per	reel
Product Description	Phase labels are microperforated between each label so that it can be applied as one strip to the panel or broken into individual labels.
Short Description	Phase label, 1" x .5", PET, White, 2500/roll
Global Part Name	PLW3P-PET-WH
Local Order Number 2	596-00382

Width W (Imperial)	1.0
Width W (Metric)	25.4
Thickness T (Metric)	64.0
Height H (Imperial)	0.5
Height H (Metric)	12.7
Width of Liner (Metric)	85.09
Width of Liner (Imperial)	3.35
Material	Polyester (PET)
Material Shortcut	PET
Adhesive	Acrylic
Halogen Free	No
UV Resistant (Yes/No)	No
Operating Temperature	-40°F to +300°F (-40°C to +149°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes

UL Recognized (US)	Yes
Package Quantity (Imperial)	2500
Package Quantity (Metric)	2500
Customs Number	3919102055
Labels per Column	3
Labels per Row	3

7930 N. Faulkner Road, Milwaukee, WI 53224
Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2025 HellermannTyton. All Rights Reserved.
[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)