

Specification Sheet

Part Number: 596-21251

Polyethylene is conformable to adhere to a wide variety of curved and compound surfaces.

The adhesive sticks to itself and can be used for flag wrap applications.

The smooth, printable surface allows for high-quality imaging for text and graphics.



Article Number	596-21251
----------------	-----------

Type	TAG21T6
------	---------

Color	White (WH)
-------	------------

Quantity Per	reel
--------------	------

Product Description	HellermannTyton's polyethylene labels are smooth and conformable to most surfaces. The material's ability to withstand areas where oil and moisture are present is an important feature. Bonds well to low surface energy plastics such as polypropylene and nylon. A low cost alternative to cloth style labels.
---------------------	---

Short Description	Thermal Transfer Labels, 0.5" x .75", 6 Across, Polyethylene, White, 10,000/roll
-------------------	--

Global Part Name	TAG21T6-PE-WH
------------------	---------------

Width W (Imperial)	0.5
Width W (Metric)	12.7
Thickness T (Metric)	64.0
Height H (Imperial)	0.75
Height H (Metric)	19.05
Width of Liner (Metric)	82.55
Width of Liner (Imperial)	3.25
Material	Polyethylene (PE)
Material Shortcut	PE
Adhesive	Acrylic
Halogen Free	No
UV Resistant (Yes/No)	No
Adhesive Operating Temperature	-40°F to +248°F (-40°C to +120°C)
Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Reach Compliant (Article 33)	Yes

ROHS Compliant	Yes
Package Quantity (Imperial)	10000
Package Quantity (Metric)	10000
Customs Number	3919102055
Labels per Column	1
Labels per Row	6

7930 N. Faulkner Road, Milwaukee, WI 53224
Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2025 HellermannTyton. All Rights Reserved.
[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)