

Specification Sheet

Part Number: 596-28251



Polyethylene is conformable to adhere to a wide variety of curved and compound surfaces.

The adhesive sticks to itself and can be used for flag wrap applications.

The smooth, printable surface allows for high-quality imaging for text and graphics.

Thermal Transfer Labels, 0.8" x 1.43", 4 Across, Polyethylene, White, 5000/roll

Article Number	596-28251
Type	TAG28T4
Color	White (WH)
Quantity Per	reel
Product Description	HellermannTyton’s polyethylene labels are smooth and conformable to most surfaces. The material’s ability to withstand areas where oil and moisture are present is an important feature. Bonds well to low surface energy plastics such as polypropylene and nylon. A low cost alternative to cloth style labels.
Short Description	Thermal Transfer Labels, 0.8" x 1.43", 4 Across, Polyethylene, White, 5000/roll

Global Part Name	TAG28T4-PE-WH
Width W (Imperial)	0.8
Width W (Metric)	20.32
Thickness T (Metric)	64.0
Height H (Imperial)	1.43
Height H (Metric)	36.3
Width of Liner (Metric)	87.63
Width of Liner (Imperial)	3.45
Material	Polyethylene (PE)
Material Shortcut	PE
Adhesive	Acrylic
Halogen Free	No
UV Resistant (Yes/No)	No
Use Conditions	For Indoor Use Only
Adhesive Operating Temperature	-40°F to +248°F (-40°C to +120°C)

Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	5006
Package Quantity (Metric)	5000
Customs Number	3919102055
Labels per Column	1
Labels per Row	4

7930 N. Faulkner Road, Milwaukee, WI 53224
Phone: (800) 537-1512 | Email: corp@htamericas.com