

5 in 1 external antenna (HM15HF)

Engineering Specification

1. Product Number

H 2 M A 3 0 5 D 1 0 1 1 0 0



2. Features

- * IP67 Antenna
- * 2 * 4G MIMO LTE Antenna: 698 to 960 & 1710 to 2700 & 3400 to 3800MHz
- * 2 * WiFi dual band antenna: 2400 to 2484 & 5150 to 5850MHz
- * GPS-GLONASS-GALILILEO High gain LNA up to 30 dB
- * Dimensions: 150 x 64 x 17 mm
- * RoHS compliant.

3. Applications

- * Automotive telematics
- * Fleet management.
- * Teleportation.

4. Description

The HM15HF External antenna is an omni-directional, IP67 waterproof M2M external antenna, combines 5 of high performance cellular LTE full band antenna & WiFi dual band and GNSS navigation antenna, covering LTE bands 698 to 960 & 1710 to 2700 & 3400 to 3800MHz, WiFi band 2400 to 2484 & 5150~5850 MHz and GPS-GLONASS-GALILILEO-Beidou navigations.

The HM15H is ideal for use on non-metal surface.



詠業科技股份有限公司
Unicon Technologies Corporation
Website:www.unicon.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT
NO.

H2MA305D101100

REV.

Preliminary

5. Electrical Specifications

CELLULAR/4G LTE ANTENNA 1

Frequency(MHz)		698~960	1710~2170	2300~2400	2490~2690	3400~3800
Efficiency (%)	1M	60.3	59.5	56.9	50.2	43.0
	2M	50.9	51.1	50.3	40.6	34.2
Average gain (dB)	1M	-2.2	-2.3	-2.4	-3.0	-3.7
	2M	-2.9	-2.9	-3.0	-3.9	-4.7
Peak gain (dBi)	1M	4.0	4.2	2.5	2.7	2.2
	2M	3.1	3.2	2.4	1.5	1.4
Impedance(Ω)	50					
Polarization	Linear					
V.S.W.R.	<5	<3				
Cable	KSR200 low loss cable					
Connector	SMA(M) ST					



詠業科技股份有限公司
Unictron Technologies Corporation
Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT
NO.

H2MA305D101100

REV.
Preliminary

CELLULAR/4G LTE ANTENNA 2

Frequency(MHz)		698~960	1710~2170	2300~2400	2490~2690	3400~3800
Efficiency (%)	1M	57.0	51.6	55.6	49.1	33.3
	2M	50.0	42.5	48.0	38.9	27.0
Average gain (dB)	1M	-2.4	-2.9	-2.5	-3.1	-4.8
	2M	-3.0	-3.7	-3.2	-4.1	-5.7
Peak gain (dBi)	1M	3.8	3.8	1.4	2.4	1.9
	2M	3.1	3.2	1.2	1.4	1.1
Impedance(Ω)	50					
Polarization	Linear					
V.S.W.R.	<5	<3				
Cable	KSR200 low loss cable					
Connector	SMA(M) ST					



詠業科技股份有限公司
Unictron Technologies Corporation
 Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : **Xenia**

Designed by : **Allen**

Checked by : **Mike**

Approved by : **Herbert**

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.

H2MA305D101100

REV.

Preliminary

WiFi dual band / WiFi ANTENNA 1

Frequency(MHz)		2400~2484	5150~5850
Efficiency (%)	1M	55.8	49.7
	2M	47.7	40.3
Average gain (dB)	1M	-2.5	-3.0
	2M	-3.2	-3.9
Peak gain (dBi)	1M	3.2	3.1
	2M	2.6	1.8
Impedance(Ω)	50		
Polarization	Linear		
V.S.W.R.	<3		
Cable	KSR200 low loss cable		
Connector	SMA(M) ST		



詠業科技股份有限公司
Unictron Technologies Corporation
 Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : **Xenia**

Designed by : **Allen**

Checked by : **Mike**

Approved by : **Herbert**

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.

H2MA305D101100

REV.

Preliminary

WiFi dual band / WiFi ANTENNA 2

Frequency(MHz)		2400~2484	5150~5850
Efficiency (%)	1M	51.9	50.7
	2M	42.3	42.7
Average gain (dB)	1M	-2.8	-2.9
	2M	-3.7	-3.7
Peak gain (dBi)	1M	3.6	3.0
	2M	2.0	1.5
Impedance(Ω)	50		
Polarization	Linear		
V.S.W.R.	<3		
Cable	KSR200 low loss cable		
Connector	SMA(M) ST		



詠業科技股份有限公司
Unictron Technologies Corporation
 Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : **Xenia**

Designed by : **Allen**

Checked by : **Mike**

Approved by : **Herbert**

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.

H2MA305D101100

REV.

Preliminary

GNSS NAVIGATION ANTENNA

Navigation	BeiDou	GPS/QZSS/GALILEO	GLONASS
Center Frequency(MHz)	1561	1575.42	1602
Gain(dBiC)	2.5 Typ.		
VSWR	< 2.0		
Impedance(Ω)	50		
Polarization	RHCP		
Cable	2M RG174		
Connector	SMA(M) ST		

LNA ELECTRICAL PROPERTIES

Gain(dB)	30 Typ.
Noise Figure(dB)	1.8 Typ.
Output VSWR	< 2.0
DC Input Voltage(V)	3~24
Current Consumption	9 mA Typ. @ 3V



詠業科技股份有限公司
Unictron Technologies Corporation
 Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : **Xenia**

Designed by : **Allen**

Checked by : **Mike**

Approved by : **Herbert**

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.

H2MA305D101100

REV.

Preliminary

MECHANICAL

Antenna Dimensions	150 * 64 * 17 mm
Waterproof	IP67
Cable type*	KSR200
Cable Length*	2M
Connector*	SMA(M) ST
Mounting Type	Adhesive mount

*The connector, cable length, and cable type can be tailor made upon request.

ENVIRONMENTAL

Operation Temperature	-40~+85 °C
Storage Temperature	-40~+85 °C



詠業科技股份有限公司
 Unictron Technologies Corporation
 Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : **Xenia**

Designed by : **Allen**

Checked by : **Mike**

Approved by : **Herbert**

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.

H2MA305D101100


REV.

Preliminary


6. Antenna Characteristics.

6.1 Cellular/LTE Antenna 1

6.1.1 Return Loss



6.1.2 VSWR



詠業科技股份有限公司
Unictron Technologies Corporation
Website: www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert


TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT
NO.


H2MA305D101100

REV.
Preliminary

6.1.3 Efficiency



6.1.4 Peak Gain



詠業科技股份有限公司
 Unictron Technologies Corporation
 Website: www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert


TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.

H2MA305D101100

REV. Preliminary

6.1.5 Average Gain



詠業科技股份有限公司
 Unictron Technologies Corporation
 Website: www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.


H2MA305D101100

REV.


Preliminary

6.2 Cellular/LTE Antenna 2

6.2.1 Return Loss



6.2.2 VSWR



詠業科技股份有限公司
Unictron Technologies Corporation
Website: www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)


DOCUMENT
NO.

H2MA305D101100


REV.

Preliminary

6.2.3 Efficiency



6.2.4 Peak Gain



詠業科技股份有限公司
 Unictron Technologies Corporation
 Website: www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)


DOCUMENT NO.

H2MA305D101100

REV.

Preliminary

6.2.5 Average Gain



詠業科技股份有限公司
 Unictron Technologies Corporation
 Website: www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.


H2MA305D101100

REV.


Preliminary

6.3 WiFi dual band/WiFi Antenna 1

6.3.1 Return Loss



6.3.2 VSWR



詠業科技股份有限公司
 Unictron Technologies Corporation
 Website: www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert


TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.


H2MA305D101100

REV. Preliminary

6.3.3 Efficiency



6.3.4 Peak Gain



詠業科技股份有限公司
Unictron Technologies Corporation
Website: www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)


DOCUMENT NO.

H2MA305D101100

REV.

Preliminary

6.3.5 Average Gain



詠業科技股份有限公司
 Unictron Technologies Corporation
 Website: www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : **Xenia**

Designed by : **Allen**

Checked by : **Mike**

Approved by : **Herbert**

TITLE : **5 in 1 external antenna (HM15HF)**

DOCUMENT NO.


H2MA305D101100

REV.


Preliminary

6.4 WiFi dual band/WiFi Antenna 2

6.4.1 Return Loss



6.4.2 VSWR



詠業科技股份有限公司
Unictron Technologies Corporation
Website: www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)


DOCUMENT
NO.

H2MA305D101100


REV.

Preliminary

6.4.3 Efficiency



6.4.4 Peak Gain



詠業科技股份有限公司
 Unictron Technologies Corporation
 Website: www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)


DOCUMENT NO.

H2MA305D101100

REV.

Preliminary

6.4.5 Average Gain



詠業科技股份有限公司
 Unictron Technologies Corporation
 Website: www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : **Xenia**

Designed by : **Allen**

Checked by : **Mike**

Approved by : **Herbert**

TITLE : **5 in 1 external antenna (HM15HF)**

DOCUMENT NO.


H2MA305D101100

REV.


Preliminary

6.5 Isolation

6.5.1 LTE antenna 1 and LTE antenna 2



6.5.2 WiFi antenna 1 and WiFi antenna 2



詠業科技股份有限公司
Unictron Technologies Corporation
Website: www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT
NO.

H2MA305D101100





REV.

Preliminary

7. Radiation Gain Pattern of LTE Antenna 1.

7.1. 698~960MHz Band

3D Radiation Gain Pattern @ 830 MHz (Unit: dBi)



詠業科技股份有限公司
 Unictron Technologies Corporation
 Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.





H2MA305D101100

REV.

Preliminary

7.2. 1710~2170MHz Band

3D Radiation Gain Pattern @ 1940 MHz (Unit: dBi)



詠業科技股份有限公司
Unictron Technologies Corporation
Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.





H2MA305D101100

REV.

Preliminary

7.3. 2300~2400MHz Band

3D Radiation Gain Pattern @ 2350 MHz (Unit: dBi)



詠業科技股份有限公司
Unictron Technologies Corporation
Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.





H2MA305D101100

REV.

Preliminary

7.4. 2490~2690MHz Band

3D Radiation Gain Pattern @ 2590 MHz (Unit: dBi)



詠業科技股份有限公司
 Unictron Technologies Corporation
 Website: www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.





H2MA305D101100

REV.

Preliminary

7.5. 3400~3800MHz Band

3D Radiation Gain Pattern @ 3600 MHz (Unit: dBi)



詠業科技股份有限公司
Unictron Technologies Corporation
Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.

H2MA305D101100





REV.

Preliminary

8. Radiation Gain Pattern of LTE Antenna 2.

8.1. 698~960MHz Band

3D Radiation Gain Pattern @ 830 MHz (Unit: dBi)



詠業科技股份有限公司
Unictron Technologies Corporation
Website: www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT
NO.





H2MA305D101100

REV.

Preliminary

8.2. 1710~2170MHz Band

3D Radiation Gain Pattern @ 1940 MHz (Unit: dBi)



詠業科技股份有限公司
Unictron Technologies Corporation
Website: www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.





H2MA305D101100

REV.

Preliminary

8.3. 2300~2400MHz Band

3D Radiation Gain Pattern @ 2350 MHz (Unit: dBi)



詠業科技股份有限公司
Unictron Technologies Corporation
Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.





H2MA305D101100

REV.

Preliminary

8.4. 2490~2690MHz Band

3D Radiation Gain Pattern @ 2590 MHz (Unit: dBi)



詠業科技股份有限公司
 Unictron Technologies Corporation
 Website: www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.





H2MA305D101100

REV.

Preliminary

8.5. 3400~3800MHz Band

3D Radiation Gain Pattern @ 3600 MHz (Unit: dBi)



詠業科技股份有限公司
Unictron Technologies Corporation
Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.

H2MA305D101100





REV.

Preliminary

9. Radiation Gain Pattern of WiFi Antenna 1.

9.1. 2400~2484MHz Band

3D Radiation Gain Pattern @ 2442 MHz (Unit: dBi)



詠業科技股份有限公司
Unictron Technologies Corporation
Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.





H2MA305D101100

REV.

Preliminary

9.2. 5150~5850MHz Band

3D Radiation Gain Pattern @ 5550 MHz (Unit: dBi)



詠業科技股份有限公司
Unictron Technologies Corporation
Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT
NO.

H2MA305D101100





REV.

Preliminary

10. Radiation Gain Pattern of WiFi Antenna 2.

10.1. 2400~2484MHz Band

3D Radiation Gain Pattern @ 2442 MHz (Unit: dBi)



詠業科技股份有限公司
Unictron Technologies Corporation
Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.





H2MA305D101100

REV.

Preliminary

10.2. 5150~5850MHz Band

3D Radiation Gain Pattern @ 5550 MHz (Unit: dBi)



詠業科技股份有限公司
Unictron Technologies Corporation
Website: www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.


H2MA305D101100

REV.

Preliminary

11. GNSS Navigation Antenna Characteristics.

11.1 Return loss



詠業科技股份有限公司
 Unictron Technologies Corporation
 Website: www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)



DOCUMENT NO.

H2MA305D101100



REV.

Preliminary



11.2 Radiation Gain Pattern (Unit: dBi)




1561MHz



1575MHz



1602MHz



詠業科技股份有限公司
Unictron Technologies Corporation
Website:www.unictron.com

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : Allen

Checked by : Mike

Approved by : Herbert

TITLE : 5 in 1 external antenna (HM15HF)

DOCUMENT NO.

H2MA305D101100

REV.

Preliminary