

FM510M1023 DATA SHEET

2.4 GHz 3 dBi Black Radome Enclosed Omni Antenna - Type-N Female Bulkhead

The FM510M1023 is a very compact 2.4GHz Omni WiFi antennas provide broad coverage and 3 dBi gain. They are ideally suited for IEEE 802.11b and 802.11g wireless LANs, Bluetooth® and other applications where wide coverage is desired.

This RF antenna is only 2.7" long and features a Black aesthetic ABS plastic radome. White radomes are also available upon request. Designed for bulkhead mounting, the FM510M1023 features an integral Type-N Female bulkhead connector. Because of its near-invisible design this antenna is ideal for use on vehicles where vandal-resistance and aesthetics are important.

Configuration		
Design	Mob	oile
Gain	3	
Polarization	Ver	tical
Connector Type	ΝF	emale
Number of Ports	1	
Lightning Protection	DC	Open

Electrical Specifications

-				
Description	Min	Тур	Мах	Units
Frequency Range	2,400		2,500	MHz
Input VSWR			1.5:1	
Impedance		50		Ohms
Gain		3		dBi
Horizontal (Azimuth) Bea	am Width	360		Degrees
Vertical (Elevation) Bean	n Width	80		Degrees
Input Power			100	Watts

ABS

Mechanical Specifications

Radome	Material	

Size	
Length	2.7 in [68.58 mm]
Width	1.4 in [35.56 mm]
Height	1.4 in [35.56 mm]
Weight	0.25 lbs [113.4 g]

Environmental Specifications

Temperature Operating Range	-40 to +85 deg C
Wind Loading	150 MPH [241.4 KPH]
Ingress Protection	IP66

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:



Features:

- Radome Enclosed, ideal for outdoor use
- Compact size
- Integran Type-N Female bulkhead mount connector

Applications:

- 2.4 GHz ISM Band
- IEEE 802.11b and 802.11g Wireless LAN
- WiFi and Bluetooth® applications
- Wireless Video Systems
- Multipoint and Mobile Applications

Fairview Microwave 301 Leora Ln., Suite 100 Lewisville, TX 75056 Tel: 1-800-715-4396 / (972) 649-6678 Fax: (972) 649-6689 www.fairviewmicrowave.com sales@fairviewmicrowave.com





2.4 GHz 3 dBi Black Radome Enclosed Omni Antenna - Type-N Female Bulkhead from Fairview Microwave is in-stock and available to ship same-day. All of our RF/microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Lewisville, Texas. Fairview Microwave is RF on-demand.

For additional information on this product, please click the following link: 2.4 GHz 3 dBi Black Radome Enclosed Omni Antenna - Type-N Female Bulkhead FM510M1023

URL: https://www.fairviewmicrowave.com/single-antenna-3-dbi-gain-n-fm51om1023-p.aspx



Fairview Microwave







301 Leora Ln., Suite 100, Lewisville, TX 75056 | Tel: 1-800-715-4396 / (972) 649-6678 / Fax: (972) 649-6689