

FMWAN1034 DATA SHEET

Conical Gain Horn Waveguide Antenna, WR-19, 50 GHz to 58 GHz, UG-383/U-Mod Round Cover Flange, 15 dBi Nominal Gain

Waveguide conical gain horn antennas are used in a wide variety of applications due to their high power handling capability, low loss, high directivity, and near constant electrical performance across a broad bandwidth. Fairview Microwave's FMWAN1034 WR-19 waveguide conical gain horn antenna operating from 50 GHz to 58 GHz with a nominal 15 dBi gain is part of our full line of RF components available for same-day shipping. This Fairview Microwave circular horn antenna has a gold plated brass body and a precision tolerance UG-383/U-Mod round cover flange. The FMWAN1034 WR-19 waveguide conical gain horn antenna offers low gain variation across its operating frequency range.



Design WR-19 Conical Gain Horn

Pattern Directional Polarization Linear

Electrical Specifications

Description	Min	Тур	Max	Units
Frequency Range	50		58	GHz
Nominal Gain		15		dBi
Horizontal 3dB Beam Width	า	16		Deg
Vertical 3dB Beam Width		30		Deg
VSWR		1.15:1		

Mechanical Specifications

Size

Lenath 1.66 in [42.16 mm] Width/Diameter 1.125 in [28.58 mm] Height 1.125 in [28.58 mm] Weight 0.045 lbs [20.41 g]

Waveguide Interface

Waveguide Size WR-19 Flange Type Round Cover Flange Designation UG-383/U-Mod Body Material and Plating Brass, Gold

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:



Features:

- Circular Waveguide Interface
- 50 GHz to 58 GHz
- 15 dBi Nominal Gain
- UG-383/U-Mod Round Cover Flange

Applications:


- Antenna Measurements
- Wireless Communication
- Laboratory Use
- Microwave Radio Systems


Fairview Microwave 301 Leora Ln., Suite 100 Lewisville, TX 75056 Tel: 1-800-715-4396 / (972) 649-6678 Fax: (972) 649-6689 www.fairviewmicrowave.com sales@fairviewmicrowave.com





Typical Performance Data





Conical Gain Horn Waveguide Antenna, WR-19, 50 GHz to 58 GHz, UG-383/U-Mod Round Cover Flange, 15 dBi Nominal Gain from Fairview Microwave is in-stock and available to ship same-day. All of our RF/microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Allen, Texas. Fairview Microwave is RF on-demand.


For additional information on this product, please click the following link: Conical Gain Horn Waveguide Antenna, WR-19, 50 GHz to 58 GHz, UG-383/U-Mod Round Cover Flange, 15 dBi Nominal Gain FMWAN1034

URL: https://www.fairviewmicrowave.com/wr-19-waveguide-standard-gain-horn-15-dbi-ug-383-mod-fmwan1034-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Fairview Microwave reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Fairview Microwave does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Fairview Microwave does not assume any liability arising out of the use of any part or documentation.







STANDARD TOLERANCES

.X ±0.2 .XX ±0.01 .XXX ±0.005

*STANDARD TOLERANCES APPLY ONLY TO DIMENSIONS IN INCHES

Fairview Microwave	NOTES: 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL. 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME. 3. DIMENSIONS ARE IN INCHES [mm].						
TITLE	FMWAN1034			CAGE CODE 3FKR5			
Conical Gain Horn Waveguide Antenna, WR-19, 50 GHz to 58 GHz, UG-383/U-Mod Round Cover Flange 15 dBi Nominal Gain	CAD FILE 02/22/19	SHEET 1 OF 1	SCAL	E N/A	SIZE A	7361	