



Matching Pad 50 Ohm SMA Male to 75 Ohm N Female Operating from DC to 2 GHz

Electrical Specifications

Description	Min	Тур	Max	Units
Frequency Range	DC		2	GHz
VSWR			1.6:1	
Input Power, CW			1	Watt

Performance by	/ Frequen	су				
Description	F1	F2	F3	F4	F5	Units
Range	DC-2					GHz

Mechanical Specifications

SIZE	
Length	
Width	
Height	
Weight	

2.195 in [55.75 mm] 2.05 in [52.07 mm] 1.6 in [40.64 mm] 0.0895 lbs [40.6 g]

Housing Material and Plating Brass

Connector 1

Description	Connector
Туре	SMA Male
Impedance	50 Ohms
Connector 2	
Description	Connector
Туре	N Female
Impedance	75 Ohms

Configuration:

• Design: Fixed

Connector 1: 50 Ohms SMA MaleConnector 2: 75 Ohms N Female

Fairview Microwave 301 Leora Ln., Suite 100 Lewisville, TX 75056 Tel: 1-800-715-4396 / (972) 649-6678 Fax: (972) 649-6689 www.fairviewmicrowave.com sales@fairviewmicrowave.com





Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

Matching Pad 50 Ohm SMA Male to 75 Ohm N Female Operating from DC to 2 GHz from Fairview Microwave is in-stock and available to ship same-day. All of our RF/microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Lewisville, Texas. Fairview Microwave is RF on-demand.

For additional information on this product, please click the following link: Matching Pad 50 Ohm SMA Male to 75 Ohm N Female Operating from DC to 2 GHz SI1570


URL: https://www.fairviewmicrowave.com/matching-pad-50-ohm-sma-male-75-ohm-n-female-2-ghz-si1570-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Fairview Microwave reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Fairview Microwave does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Fairview Microwave does not assume any liability arising out of the use of any part or documentation.

301 Leora Ln., Suite 100, Lewisville, TX 75056 | Tel: 1-800-715-4396 / (972) 649-6678 / Fax: (972) 649-6689







FAIRVIEW MICROWAVE INC. ALLEN, TX 75013 WWW.FAIRVIEWMICROWAVE.COM	NOTES: 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL. 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME. 3. DIMENSIONS ARE IN INCHES [mm].					
Matching Pad 50 Ohm SMA Male to 75 Ohm N Female Operating from DC to 2 GHz	DWG NO	SI1570		CAGE CODE 3FKR5		
	CAD FILE 101915	SHEET	SCALE	≣ N/A	SIZE A	5568