



BNC Male Open Circuit Connector Cap With 2.25 Inch Chain

Shorts and Caps Technical Data Sheet

M39012/25-0006

Features

- Protects against dust and contaminants
- Protects against physical damage
- Silver Plated Body

Applications

- General Purpose Laboratory Use
- Test and Measurement

Description

Pasternack's M39012/25-0006 connector dust cap has a BNC interface and a male gender. Our BNC male dust cap is a non-shorting design with a silver plated body to ensure durability. The Pasternack non-shorting BNC connector cap is part of over 40,000 RF, microwave and millimeter wave products that ship the same day.

RF connector dust caps are essential for precision connectors, protecting them from dust, corrosion and potential damage especially to test and measurement equipment. Specific RF connector cap models come with a chain to prevent loss or misplacement. Internal short connector cap versions are available to protect equipment from a spike in current caused by electrostatic discharge (ESD).

Mechanical Specifications

Configuration

Connector BNC Male Non-Shorting
Chain Option 2.25 in Chain

Description	Material	Plating
Body	Brass	Silver QQ-S-365

Size

Length 0.67 in [17.02 mm]
Width 3.9 in [99.06 mm]
Height 0.6 in [15.24 mm]
Weight 0.16 lbs [72.57 g]

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [BNC Male Open Circuit Connector Cap With 2.25 Inch Chain M39012/25-0006](#)



BNC Male Open Circuit Connector Cap With 2.25 Inch Chain

Shorts and Caps Technical Data Sheet

M39012/25-0006

Compliance Certifications (see [product page](#) for current document)

Plotted and Other Data

Notes:


BNC Male Open Circuit Connector Cap With 2.25 Inch Chain from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [BNC Male Open Circuit Connector Cap With 2.25 Inch Chain M39012/25-0006](#)

URL: <https://www.pasternack.com/non-shorting-bnc-male-with-2.25-inch-chain-m39012-25-0006-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

ZONE	REV	DESCRIPTION	DATE	CHANGED BY	APPROVED
	A	INITIAL RELEASE	06/27/2023	PSRINIVAS	AGANWANI




NOTES:-

1. QUALIFIED SUPPLIER CAGE CODE: 00795

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF INFINITE ELECTRONICS, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF INFINITE ELECTRONICS, INC. IS PROHIBITED.
THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW PROHIBITED.

UNLESS OTHERWISE SPECIFIED LEADING DIMENSIONS ARE INCHES DIMENSIONS IN [] ARE MILLIMETERS	TOLERANCES: $X = \pm 2 [5]$ FRACTIONS $XX = \pm 0.02 [0.5]$ + 1/32 $XXX = \pm .005 [0.13]$ ANGLES $\pm 1^\circ$ CABLE LENGTH TOLERANCES: $\leq 12 [305]$ $= +1 [25] / -0$ $>12 [305]$ $\leq 160 [4062]$ $= -2 [51] / -0$ $>160 [4062]$ $\leq 1200 [3048]$ $= -4 [102] / -0$ $>1200 [3048]$ $\leq 3000 [7620]$ $= -6 [152] / -0$ $>3000 [7620]$ $= +5\% / -0$
ALL DIMENSIONS ARE FOR REFERENCE ONLY AND SUBJECT TO CHANGE WITHOUT NOTICE UNLESS OTHERWISE SPECIFIED DIMENSIONS IN SIZE AND LOCATION MAY VARY	COIL SIZES MAY VARY.

 PASTERNAK® an INFINITI® brand			
INTERPRET ALL DIMENSIONS AND TOLERANCES PER ASME Y14.5			
SCALE NONE		SHEET 1 OF 1	
DESCRIPTION BNC Male Open Circuit Connector Cap With 2.25 Inch Chain			
SIZE A	CAGE CODE 53919	DRAWN BY PSR/INIVAS	ITEM NO. M39012/25-0006
			REV A