


RP-SMA Jack Commercial Grade Connector Solder Attachment .032 inch End Launch PCB



PE51709

Configuration

- SMA Jack Reverse Polarity Connector
- 50 Ohms
- Straight Body Geometry
- Connector Interface Types: .032 inch End Launch
- Commercial Grade Design

Features

- Max. Operating Frequency 18 GHz
- Gold over Nickel over Copper Plated Brass Contact
- Reverse Polarity

Applications

- General Purpose Test
- PCB Applications

Description

Pasternack's PE51709 , SMA, Commercial Grade, connector with solder attachment for .032 inch End Launch PCB is part of our full line of RF components available for same-day shipping. The jack reverse polarity configuration uses a jack connector body with an inner contact pin. Our SMA jack connector operates up to a maximum frequency of 18 GHz.

Our reverse polarity SMA jack connector PE51709 datasheet specifications and drawing with dimensions are shown below in this PDF. Pasternack's broad catalog of RF, microwave and millimeter wave connectors allows designers to configure and customize their signal connections however they like. Whether the need is to provide an I/O for a board design, or simply create a custom cable assembly configuration, Pasternack has the right connector for the job. Pasternack can also expertly build your custom cable assemblies for you and ship same-day.

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Frequency Range	DC		18	GHz
Impedance		50		Ohms

Mechanical Specifications


Size

Length	0.52 in [13.21 mm]
Width	0.25 in [6.35 mm]
Height	0.25 in [6.35 mm]
Weight	0.02 lbs [9.07 g]

Material Specifications

Description	Material	Plating
Contact	Brass	Gold over Nickel over Copper
Insulation	PTFE	
Body	Brass	Gold over Nickel over Copper

RP-SMA Jack Commercial Grade Connector Solder Attachment .032 inch End Launch PCB



PE51709

Environmental Specifications

Temperature

Compliance Certifications (see [product page](#) for current document)

Plotted and Other Data

Notes:

RP-SMA Jack Commercial Grade Connector Solder Attachment .032 inch End Launch PCB from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [RP-SMA Jack Commercial Grade Connector Solder Attachment .032 inch End Launch PCB PE51709](#)

URL: <https://www.pasternack.com/sma-jack-reverse-polarity-.032-end-launch-pcb-connector-pe51709-p.aspx>

The information contained within this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part in order to implement improvements. Pasternack Enterprises reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack Enterprises does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack Enterprises does not assume liability arising out of the use of any part or document.

RP-SMA Jack Commercial Grade Connector Solder Attachment .032 inch End Launch PCB

