

## SMA Female Commercial Grade Connector Clamp/Solder Attachment End Launch PCB, Removable End Launch

### PE51712



#### Configuration

- SMA Female Connector
- 50 Ohms
- Straight Body Geometry
- Connector Interface Types: End Launch
- Commercial Grade Design

#### Features

- Max. Operating Frequency 18 GHz
- Good VSWR of 1.46:1
- Gold Plated Beryllium Copper Contact

#### Applications

- General Purpose Test
- PCB Applications

#### Description

Pasternack's PE51712, SMA, Commercial Grade, connector with clamp/solder attachment for End Launch PCB is part of our full line of RF components available for same-day shipping. Our SMA female connector operates up to a maximum frequency of 18 GHz and offers good VSWR of 1.46:1.

Our SMA female connector PE51712 datasheet specifications and drawing with dimensions are shown below in this PDF. Pasternack's broad catalog of RF, microwave and millimeter wave connectors allows designers to configure and customize their signal connections however they like. Whether the need is to provide an I/O for a board design, or simply create a custom cable assembly configuration, Pasternack has the right connector for the job. Pasternack can also expertly build your custom cable assemblies for you and ship same-day.

#### Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Frequency Range	DC		18	GHz
VSWR			1.46:1	
Impedance		50		Ohms

#### Mechanical Specifications

##### Size


Length	0.57 in [14.48 mm]
Width	0.25 in [6.35 mm]
Height	0.55 in [13.97 mm]
Weight	0.00657 lbs [2.98 g]

#### Material Specifications

Description	Material	Plating
Contact	Beryllium Copper	Gold
Insulation	PTFE	
Body	Brass	Gold

## SMA Female Commercial Grade Connector Clamp/Solder Attachment End Launch PCB, Removable End Launch

**PE51712**



---

### Environmental Specifications

#### Temperature

Operating Range

-65 to +165 deg C

Humidity

MIL-STS-202, Method 106

**Compliance Certifications** (see [product page](#) for current document)

### Plotted and Other Data

Notes:

SMA Female Commercial Grade Connector Clamp/Solder Attachment End Launch PCB, Removable End Launch from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [SMA Female Commercial Grade Connector Clamp/Solder Attachment End Launch PCB, Removable End Launch PE51712](#)

URL: <https://www.pasternack.com/sma-female-end-launch-pcb-connector-pe51712-p.aspx>

The information contained within this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part in order to implement improvements. Pasternack Enterprises reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack Enterprises does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack Enterprises does not assume liability arising out of the use of any part or document.

PE51712 CAD Drawing

SMA Female Commercial Grade Connector Clamp/Solder Attachment End Launch PCB, Removable End Launch

