

75 Ohm N Male Connector Crimp Attachment for LMR-400-75, LMR-400-75-DB, LMR-400-75-FR

TC-400-NM-75/50

Configuration

- N Male Connector
- 75 Ohms
- Straight Body Geometry
- Connector Interface Types: LMR-400-75, LMR-400-75-DB, LMR-400-75-FR

Features

- Gold Plated Brass Contact

Applications

- General Purpose Test
- Custom Cable Assemblies

Description

Times Microwave's TC-400-NM-75/50 type N , N , Connector is part of our full line of RF components available for same-day shipping.

Times Microwave's 75 ohm type N male connector TC-400-NM-75/50 datasheet specifications and drawing with dimensions are shown below in this PDF. Pasternack's broad catalog of RF, microwave and millimeter wave connectors allows designers to configure and customize their signal connections however they like. Whether the need is to provide an I/O for a board design, or simply create a custom cable assembly configuration, Pasternack has the right connector for the job. Pasternack can also expertly build your custom cable assemblies for you and ship same-day.

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Impedance		75		Ohms

Mechanical Specifications

Size

Length	0.83 in [21.08 mm]
Width	0.83 in [21.08 mm]
Height	1.5 in [38.1 mm]
Weight	0.09 lbs [40.82 g]

Material Specifications

Description	Material	Plating
Contact	Brass	Gold
Insulation	PTFE	
Body	Brass	Nickel
Gasket	Silicone	
Crimp Sleeve	Copper	Silver
Shrink Tubing	Polyolefin	

75 Ohm N Male Connector Crimp Attachment for LMR-400-75, LMR-400-75-DB, LMR-400-75-FR

TC-400-NM-75/50

Environmental Specifications

Temperature

Compliance Certifications (see [product page](#) for current document)

Plotted and Other Data

Notes:

75 Ohm N Male Connector Crimp Attachment for LMR-400-75, LMR-400-75-DB, LMR-400-75-FR from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [75 Ohm N Male Connector Crimp Attachment for LMR-400-75, LMR-400-75-DB, LMR-400-75-FR TC-400-NM-75/50](#)

URL: <https://www.pasternack.com/n-male-lmr-400-75-connector-tc-400-nm-75-50-p.aspx>

The information contained within this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part in order to implement improvements. Pasternack Enterprises reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack Enterprises does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack Enterprises does not assume liability arising out of the use of any part or document.

TC-400-NM-75/50 CAD Drawing
75 Ohm N Male Connector Crimp Attachment for LMR-400-75, LMR-400-75-DB, LMR-400-75-FR

