

MEAS | MEAS MP2000 TE Internal #: 02291335-000 TE Internal Description: MP-2000 DUAL CHANNEL SIG COND DUAL CHANNEL LVDT/RVDT CONTROLLER

View on TE.com >



Sensors > Position Sensors > Signal Conditioners > DUAL CHANNEL LVDT/RVDT CONTROLLER



Voltage Requirements: 100 – 240 VAC Frequency Requirements: 47 – 63 Hz Transducer Type: LVDT or RVDT with 5 or 6 wires Operating Temperature Range: 0 – 55 °C [32 – 131 °F] Sensor Mount Type: 1/4 DIN Panel Mount

All DUAL CHANNEL LVDT/RVDT CONTROLLER (0)

Features

Product Type Features

Display Type

LCD

Electrical Characteristics

Voltage Requirements	100 – 240 VAC
Excitation Voltage	1 Vrms, 3 Vrms
Signal Characteristics	
Frequency Requirements	47 – 63 Hz
Number of Channels	2
Excitation Frequency	2.5 – 10 kHz
Mechanical Attachment	
Sensor Mount Type	1/4 DIN Panel Mount
Usage Conditions	
Operating Temperature Range	0-55 °C[32-131 °F]
Industry Standards	
Digital Output	RS-232
Other	
Transducer Type	LVDT or RVDT with 5 or 6 wires



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (18% in Component Part) Aticle Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



Also in the Series | MEAS MP2000


C For support call+1 800 522 6752

MP-2000 DUAL CHANNEL SIG COND





Customers Also Bought



TE Part #1-2396236-2

=TE

D-1	10-40	

TE Part #625134-000

MRSSH 1.27 SS SD COM 16 T-H POST	Conn G FNG 38999 S1,2,4 Shell 15 &	MRSSH 1.27 SS SD GRA 16 T-H POST	
TUB	16	TUB	

TE Part #2423956-1

-TE



Documents

Datasheets & Catalog Pages Dual Channel LVDT/RVDT Readout/Controller

TE Part #2396236-6

English