




Connectors > Connector Accessories > Connector Seals & Cavity Plugs > DEUTSCH Sealing Plugs



Connector Seal & Plug Type: **Keying Plug**
Operating Temperature Range: **-55 – 125 °C [-67 – 257 °F]**
Primary Product Color: **Yellow**
Primary Product Material: **PBT GF30**
Operating Temperature (Max): **125 °C [257 °F]**

[All DEUTSCH Sealing Plugs \(10\)](#)

Features

Product Type Features

Connector Seal & Plug Type	Keying Plug
----------------------------	-------------

Body Features

Primary Product Color	Yellow
Primary Product Material	PBT GF30

Usage Conditions

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operating Temperature (Max)	125 °C[257 °F]

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Box
------------------	-----

Other

Contains Lubricant	No
--------------------	----



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-H3930-CH8172
DEUTSCH HD30 Housings



TE Part # CAT-H396-CH8172
DEUTSCH HDP20 Housings



TE Part # CAT-D781-CH8172
DEUTSCH DRB Housings



TE Part # DRCP26-126SA
PLG, 126P, BLK, 12/20, A



TE Part # DRCP28-86SC
PLG, 86P, BLK, 12/20, C



TE Part # CAT-D486-CH8172
DEUTSCH DTP Housings

TE Part # HDP24-24-14SN-L015
REC, 14P, BLK, N, THD, 4/12/16, S



TE Part # DRCP28-86SA
PLG, 86P, BLK, 12/20, A



TE Part # DRCP24-86PA
REC, 86P, BLK, 12/20, A



TE Part # HDT-04-08
CRIMP TOOL, HDT-04-08



TE Part # DRCP28-86SB
PLG, 86P, BLK, 12/20, B



TE Part # CAT-D48-PCH8172
DEUTSCH DTHD Housings



TE Part # CAT-H3910-CH8172
DEUTSCH HD10 Housings

TE Part # HDP24-24-21PE-9974
REC, 21P, BLK, E, 12/16, P

TE Part # 2301337-1
HDP24-24-91PE-P064, REC, 9P, E, 8/12 /16,P



TE Part # CAT-D799-CH8172
DEUTSCH DRC Housings

Also in the Series | **DEUTSCH HD30**



Automotive Connector Caps & Covers
(26)



Automotive Housings(768)



Connector Seals & Cavity Plugs(10)



Connector Strain Relief(5)



Insertion & Extraction Tools(11)



Other Automotive Connector
Accessories(17)

Also in the Series | **DEUTSCH HD**



Automotive Headers(1)



Automotive Housings(768)



Connector Seals & Cavity Plugs(10)




Connector Strain Relief(5)




Insertion & Extraction Tools(11)



Other Automotive Connector Accessories(17)



PCB Headers & Receptacles(1)



Wire-to-Board Headers & Receptacles (1)

Customers Also Bought



TE Part #8-34160-1
TERMINAL,PG R 16-14 8



TE Part #2-31808-2
TERMINAL, SOLIS R 8 5/16



TE Part #8-34162-1
TERMINAL,PG R 16-14 1/4



TE Part #CAT-D48-SP729
DEUTSCH Sealing Plugs



TE Part #8-34854-1
TERMINAL,PG R 12-10 10



TE Part #55678-1
TERM,PG RING 12-10 1/4



TE Part #8-34149-1
PG R 22-16 COMM 22-18 MIL 10



TE Part #8-33463-1
TERMINAL,SOLIS R 8 3/8



TE Part #8-34161-1
TERMINAL,PG R 16-14 10

Documents



Product Drawings

SEALING PLUG, SIZE 12, KEYING, YEL

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_0413-214-1205_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_0413-214-1205_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_0413-214-1205_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

DEUTSCH HD30 & HDP20 CONNECTOR SERIES

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English